City of Aberdeen
Weekly Report
April 27 – May 03, 2025

I. City Hall

a. Department of Finance
b. Department of Planning and Community Development (DPCD)
c. Department of Public Works (DPW)
d. Human Resources Department

II. Aberdeen Police Department (APD)

PAGE INTENTIONALLY LEFT BLANK

I. CITY HALL

a. DEPARTMENT OF FINANCE

The following activities and actions took place this week:

Receipts for the week were:

1. General Fund	$	73,547
2. Capital Projects Fund		0
3. Water & Sewer Funds		361,827
4. Stadium Fund		41,811
Total	$	477,185

Disbursements for the week were:

1. General Fund	$	148,268
2. Capital Projects Fund		0
3. Water & Sewer Funds		52,814
4. Stadium Fund		0
Total	$	201,082

Significant Receipts:

1. N/A

Significant Disbursements:

1. N/A

Procurement Activities:

1. The property at 18 N. Law Street was auctioned. The sale price was $160,000.

b. DEPARTMENT OF PLANNING AND COMMUNITY DEVELOPMENT

The following activities and actions took place this week:

- Mrs. Grover and Ms. Ward are working on the draft Request for Proposal for the Aberdeen TOD Station Square Project and submitted the draft back to MDOT MTA staff for review.
- Mrs. Grover and Ms. Ward are working on the Cost Benefit Analysis for The Reserve at Greenside.
- Mrs. Grover and Ms. Ward prepared the agenda and supporting documents for the next scheduled Planning Commission meeting.
- Mrs. Grover attended the Harford County Economic Development event for Hello Harford tourism unveiling at the Swan Harbor Farms and the quarterly Harford County Administration meeting with MDOT SHA.
- Mrs. Grover reviewed comments from MDOT SHA on the revised Traffic Impact Study for The Reserve at Greenside with Mr. Dan Spiker, P.E. with Morris and Ritchie Associates and Traffic Concepts, Inc.
- Mrs. Grover and Ms. Ward are working on the draft amendments to the Development Code to be reviewed at the next scheduled Planning Commission meeting. Ms. Ward researched open space and recreation requirements for other municipalities and counties in Maryland.
- Mrs. Grover and Ms. Ward attended the ARC meeting for 502 Pulaski Highway and 34 N. Philadelphia Blvd. on April 30, 2025.
- Mrs. Grover submitted reimbursement requests to MD DHCD for the Tenant Fit-Out for 22 Howard Street for the HVAC installation and electrical work.
- Mrs. Grover and Mrs. Horne updated the MD DHCD grant activities spreadsheet for all active grants – Community Legacy, OAG TAG Main Street, and Community Placemaking.
- Mrs. Grover received a letter of acknowledgement (pending Board of Public Works approval) that the City's grant application for $232,000 for the Festival Park Splash Pad was successful. The grant was awarded by the Maryland Department of Natural Resources Community Parks and Playground Program for FY2026.
- Mrs. Horne updated all kiosks and community boards in the downtown with all of the upcoming activities to include the Bulk Trash event and Armed Forces Day.
- Mrs. Ward is working on the meeting minutes for the Planning Commission and the ARC.

Building Permit Activities:

Permits Processed – Residential

Address	Type	Value of Construction
3674 Gratitude Way	Deck	$ 15,325
708 Cornerstone Ln	Deck	$ 11,300
814 Leni Way	Deck steps/paver Patio	$ 8,000
769 Cronin Dr	Solar Panels	$ 8,464
49 Liberty St	Solar Panels	$ 23,331
800 Leni Way	New SFD	$ 261,000
710 Springbok Dr	Deck	$ 20,700
743 Custis St	Fence	$ 700
522 Walker St	Shed	$ 10,715
627 Webb St	Fence	$ 3,000
Total: 10		$ 362,535

Permits Issued this Week:

Address	Type	Value of Construction
3664 Gratitude Way	New SFD	$ 319,000
34 N Parke St Unit B	Tenant Occupancy – Soap Fit & Co	$ 500
627 Robbie Ct	Enclosing Existing Patio	$ 14,000
3674 Gratitude Way	Deck	$ 15,325
708 Cornerstone Ln	Deck	$ 11,300
522 Walker St	Shed	$ 10,715
935 Poppy Dr	New TH - Amendment	$ 184,000
940 Swilken Bridge	New Villa – Amendment	$ 220,000
814 Leni Way	Deck steps/paver Patio	$8,000
627 Webb St	Fence	$3,000
743 Custis St	Fence	$ 700
3630 Dexter Ct	New TH	$ 200,000
3632 Dexter Ct	New TH	$ 200,000
3634 Dexter Ct	New TH	$ 200,000
3636 Dexter Ct	New TH	$ 200,000
3638 Dexter Ct	New TH	$ 200,000
3640 Dexter Ct	New TH	$ 200,000
3642 Dexter Ct	New TH	$ 200,000
3644 Dexter Ct	New TH	$ 200,000
Total: 19		$ 2,386,540

New Commercial Issued Certificates of Use and Occupancy:

3726 Churchville Rd – Maryland Floor Pros

Amended Permits:

210 Research Blvd – updated plans

Plans still under review at DILP and/or Health Department:

3680 Adamson Way – Goddard School; 3611 Balaton Dr – Solar Panels; 769 Cronin Dr – above ground pool; 719 S Philadelphia Blvd – interior reno to create lounge area; 320 S Philadelphia Blvd – Tenant Space – Mavis Tires & Brakes; 210 Research Blvd- Tenant Space for TechX; 715 Falcon Ln – Solar Panels; 603 W Bel Air Ave: interior/exterior renovations;

The Preserve at Gilbert Meadows:

176 Total lots

Total # of Permits Applied for – 145

Total # of permits released: 136 (74 SFD/62 TH)

Total # of Type I Certificates of Occupancy released - 17

Total # of Type II Certificates of Occupancy released - 87

Aberdeen Overlook

344 Total Lots

Total # of Permits Applied for – 183

Total # of permits released: 182 (44 SFD/138 TH)

Total # of Type I Certificates of Occupancy released – 3

Total # of Type II Certificates of Occupancy released – 94

c. DEPARTMENT OF PUBLIC WORKS

The following activities and actions took place this week:

CITY ENGINEERING & ADMIN

SUBDIVISION & LAND DEVELOPMENT ACTIVE CONSTRUCTION:

- 21-03 Gilbert Meadows – Severe potholes have been temporarily filled in with asphalt. Full pavement remediation will take place at time of final pavement. Video inspection of remaining storm drain pipe in Phase E still needed. Sediment basins #4 and #5 converted to SWM Ponds. Pond 2B construction has begun. House construction continues in all Phases. 1 water meter inspection, 1 use and occupancy inspections conducted. ESC weekly inspection.
- 22-01 Fieldside Grande – Ongoing. Building construction continues. Grading and SWM permit renewal processed. New expiration date is spring 2028. ESC weekly inspections conducted. Corrections needed.
- 22-03 Technology Drive – 12”x12” tapping sleeve installed at Station 0+00 and at station 10+93 on 4/28/2025.
- 22-05 Aberdeen Overlook – Ongoing. Community Center and house construction continues in phases 2, 4, & 5. ESC weekly inspections, 4 pre-start inspections, 2 water vault inspections, 1 U&O inspection conducted. ESC weekly inspections.
- 22-08 Popeye’s – Ongoing. Curb, gutter, and asphalt installed. SW areas completed. ESC weekly inspections conducted. Site is in compliance.
- 23-02 Fields of Aberdeen – Ongoing. Building construction continues. ESC weekly inspections conducted. Site is in compliance. Storm drain pipe installation in progress.
- 23-03 George D Lisby Parking Lot Improvements – Fawn View Construction completed site work except for concrete entrance. ESC measures have been removed and all disturbed areas stabilized.
- 24-01 Aberdeen MS –No schedule yet for public water tie-in. ESC monthly inspections conducted. Site is dormant.
- 24-01-04 500 Market Street (Cell Tower) – ESC corrections outstanding: silt fence repair and stabilization.
- 24-10-01 913 Old Philadelphia Road (Amazon) – Construction complete at inbound site entrance. Construction has begun at the outbound side. Site is in compliance.
- 25-03 Goddard School Temporary Stockpile – No work has begun.
- 2106 Titan Terrace – Temporary Type I U&O issued.

SUBDIVISION & LAND DEVELOPMENT PROJECTS UNDER REVIEW:

- 22-07 Rutters – Awaiting design engineer to conduct surveys and for vegetation to grow in SWM facilities before submitting As-Built Plans.
- 24-02 WashX – Middleton Holdings Lot 3 – SWM Plans submitted 4/15 under review.
- 24-04 Hickory Ridge Lot 4 – SWM Plan and Report submitted 4/24 for final review. Developer is preparing Draft PWA.
- 24-05 Goddard School – Final SWM review comments provided. Road and Utility Re-Alignment Plan comments provided. Meeting scheduled 5/6 with developer’s engineer to discuss project status.
- 25-02 Residences at Festival Square – Awaiting next round of submission.

- 25-04 502 S Pulaski Highway – SWM, ESC, Utility Plans submitted 4/15/2025 under review.
- 25-05 Technology Drive Lot 5 – Owner executed PWA Draft and Cost Estimate for Lot 5 delivered 5/1. City will need to sign document.
- Aberdeen XChange – Awaiting SWM submittal for the project.
- Chick-Fil-A Drive Thru Expansion – Awaiting re-submittal of SWM for final review.
- Greenside Reserve – APFO Study re-submitted for review.

WATER
- 24-12-01 Northeast Booster Pump Station – Site is in compliance. Construction continues.
- 25-02 Roberts Way & Shirley Dr. Area Waterline – DXI completed paving at Beards Hill Road, Shirley Drive, and Roberts Way.

FY2025 CURB, SIDEWALK, AND STREET RESURFACING
- Milling and paving on Pinehurst Street completed.
- Hillcrest Drive has been milled. Base paving began 5/1/2025.

SWM
- MS4 SWM Facilities Inspections – FY2025 inspections are underway.

CITY COMPLIANCE
- 8 calls, 3 emails, 13 courtesy flier posted, 27 active cases - followed up on 6, 13 new high grass cases, 2 closed cases, 25 letters sent.
- Daily routine and follow-up inspections.
- Swan Meadows – Inspected for high vegetation with 13 courtesy notices posted.
- 16 Defense Street – Sent WARNING letter to resident agent 4/30/2025 about a dead tree that needs to be removed from their property.
- 80 E. Bel Air Avenue, Apt. B-6 – Investigate a rat/mouse issue. Notification letter sent to property owner.
- 984 Hospitality Way (La Tolteca Restaurant) – Spoke to property owner about homeless camp behind La Tolteca. They said encampment will be cleaned up by 5/2/2025.
- 125 St. Andrews Court – Met with property owner in reference to two trees; one is dead and the other has some buds and leaves. Letter was sent to the HOA. No response yet.
- 120 Osborn Road – Robert Radcliff conducted Structural Investigation 4/23/2025. Report has not been submitted yet.
- 435 Edmund Street – Stop Work Order removed.

GIS
- Prepared map package and sent to MDOT
- Created Map and data request form for changes to assets in GIS
- Request and review License Agreement and Maintenance Contract with Beehive
- Working on feasibility study for migration of work orders to ArcGIS Online platform.

RECORDS RETENTION
- Continue scan/file documents from Engineer's office including Tuckaway Hotel, TIP, Target, Super 8, Frito Lay, Fieldside Village, and Hardees Industrial Park on the server.
- Administrative IT tasks including desktop scanner maintenance, and setup of new password software.
- Awaiting City Clerk to review and respond to updates to State retention policy.
- 1 utility permit issued.

DPW ADMINISTRATIVE

- Processed 6 invoices totaling $88,413.31
- Entered 2 requisitions totaling $43,459.82
- Submitted (5) publication notices to AEGIS newspaper. Processed and mailed (14) letters to residents of Oak Alley for upcoming tree removal. Sent out citywide text re: Region 5 Hydrant Flushing. Canceled renewal for Beehive Modules Code with CivicPlus.

MAINTENANCE DIVISION

BUILDINGS & GROUNDS

- Responded to 14 requests for service.
- Provided chipper service for 5 residents.
- Working on Swim Club punch list. Health Inspection on 5/6.

STREETS & STORM WATER

- Performed roadside cutting of 6,669 LF and cleaning of 15,811 Lf. of roadside trash.
- Replaced 5 previous stone patches from excavations with 18 tons of asphalt.
- Finished rebuilding the check dams and storm water ponds at the DPW facility.
- Cut the vegetation to 6 storm water ponds and 4 drainage swales.
- Continued to clean the 60” storm water pipe at James St. (20 Lf.)

WATER & SEWER

- Responded to 10 service calls.
- 5 residential water meters were installed.
- Repaired water service at 603 S. Phila. Blvd.
- Performed annual flushing to 19 fire hydrants in region 4.
- Painted 13 fire hydrants.
- Cleaned 2,739 Lf. of sewer main.
- Repaired/replaced sewer main and service to 603 S. Phila. Blvd.

FLEET

- Scheduled Repairs: 5
- Emergency Repairs: 8
- Services: 7
- Unit 27 – Sweeper – Out of service – Sent out – waiting on wiring harness. (on back order)
- Unit 52 – Leaf machine – Out of service – Rear engine doesn’t start/run.
- Unit 118 – APG WWTP Ps Pickup – Out of Service – Emissions issue.
- Unit 129 – DPW Dump Truck –Out of service – At Freightliner for Turbo speed sensor and ECU reprogram.
- Unit 101 – Trash Truck – Engine failure – At Freightliner replacing most parts under warranty.

MANPOWER

- 2 openings in Maintenance. 1 Prospect given offer.

WATER / WASTEWATER PLANT OPERATIONS

WASTE WATER TREATMENT PLANT

- COA WWTP treated 13.2 million gallons. April 24th to April 30th.
- APG WWTP treated 4.7 million gallons. April 24th to April 30th.
- Started to drain reactor 3 for repairs.
- Compost blower #12 out of service bad bearings and seized impeller shaft.
- Installed new process meter and transducer in filter reject pump station.
- Sewer stations generator checks.

WATER TREATMENT PLANT

- COA WTP treated 3.6 million gallons. April 24th to April 30th.
- APG WTP treated 6.7 million gallons. April 24th to April 30th.
- 4/29/25 Shut down City WTP to see how water system would maintain with just Harford county and Havre de Grace supplies. WTP plant was placed back online at 1430.
- Collected special bacteriological sample from APGN production well #3.
- 3 routine bacteriological samples collected.
- Repaired broken fitting on WTP generator and refilled with coolant.
- Water stations generator checks.

Department

- 0 after-hour service calls.
- Three operator vacancies.
- One facility worker vacancy.
- Senior staff attended EPA lead chemistry, communication, and local engagement webinar.
- Lab staff conducted MDE exam tutoring for uncertified staff.

SUPERINTENDENTS

- APG contract hours 24.
- Reports submitted to MDE- COA and APGN WWTP March 2025 discharge monitoring reports and monthly operating reports.

APG WATER / WASTEWATER PRIVATIZATION OFFICE

PROGRAM MANAGER

- Completed assembly of the APG FY 2026 Cost of Service budget proposal submission 1.
- Continuing to process out surplus unit #84, buyer scheduling transport.
- Plumb Point production well #3 rehabilitation was completed, receive technical data report, equipment & yield are good.

MAINTENANCE CREW

- Retrieved Unit #62 from M.I.T, waiting for the warranty replacement part to arrive.
- Completed replacing the broken yard hydrant at Bldg. 740K and restoring it to in-service.
- Cut grass at building 3604 &3605
- Continue managing and cutting R.O.W in the Un-Restricted Area
- Retrieved Unit #30 Skid Steer from WWTP (B-361 M. Ln). – Cleaned/washed unit, serviced fluids and check for other possible needs for mechanical attention.
- Service Call – Checked for leak at Bldg. 3062. – No leak present
- Hauled #57 stone from Quarry to Transfer Station
- Separated spoil piles with mixed material at transfer station and organized individually
- Hauled off the scarp black top to the Block Plant
- Checked inventory of stock room by confirming counts
- Capture meter read for ST. John
- Team building exercise among crew on professional developmental grow, productivity, and teamwork.

d. HUMAN RESOURCES DEPARTMENT

Current Openings – 13 total

- APG Maintenance Shop – 1 Foreman, 1 Maintenance Worker
- DPW Maintenance Shop – 1 Maintenance Worker
- W/WW – 1 Facility Worker, 3 Operators
- APD Admin Technician – 2
- Crossing Guard – 3
- DPW Deputy Director/Program Manager – 1

II. ABERDEEN POLICE DEPARTMENT (APD)

APD WEEKLY REPORT
April 27 – May 3, 2025



APD Calls for Service

April 20 - 26, 2025
Total Call for Service/Events Works - 585
Patrol Checks – 173
Community Policing Detail – 22
Foot Patrols – 73
Bike Patrols - 18

Eastern District Incidents

Narcotics - 1
Vandalism – 1
DUI – 1
Theft – 2
Assault – 1
Rape - 1

Central District Incidents

Fugitive - 2
Theft – 3
DUI – 2
Protective Order Violation - 1

Western District Incidents

Missing Person - 1
Assault – 2
Theft – 2
Unattended Death – 2
Indecent Exposure – 1

Arrest April 20 - 26, 2025

202500089482	4/21/2025	Warrant
202500078043	4/21/2025	Warrant
202500089514	4/21/2025	Disorderly
202500089514	4/21/2025	CDS
202500090490	4/22/2025	DUI
202500091066	4/23/2025	Warrant
202400091489	4/24/2025	DUI
202500093541	4/26/2025	Prot. Order Violation
202500093561	4/26/2025	DUI

APD Weekly Traffic Report
April 27 – May 3, 2025

Traffic Stops

101 Stops/Contacts
27 State Citations
178 Warnings
5 Safety Eqt. Repair Orders
0 DUI

Crashes (Reportable, PI/PD)

3 (1 Property Damage, 2 Personal Injury)

SMART (Speed Monitoring Awareness Radar Trailer)

- N/A

STATTRAK

- Long Drive / Adamson Way

IT

- 36 Miscellaneous user/computer issues
- Daily surveillance camera check
- Daily firewall inspection and report
- IT manager onboarding
- AD Breslin remove
- Calea proofs finish year 3
- Video redaction x2
- Assist IT manager with SSPR deployment
- 201 MDT deploy
- 202 MDT build
- Kantech meeting with Harford alarm

PMI monthly backup

ACCREDITATION

This Week 4/27/2025 – 5/3/2025

Accreditation Proofs of Compliance

Processed and filed documents in PowerDMS

Mock Assessment Year 3 Scheduled: May 27-30, Years 3-2-1.

Sent requests for Mock Assessors Eight Maryland Accreditation Managers have volunteered to be mock assessors to date.

Assessment Files still Open

Date	Year 4 - OLD	Year 1	Year 2	Year 3	Year 4
5/1/2025	**35**	**115**	**244**	**705**	1365

Traffic Policies – Final supervisor review before request for General Order

Ch 25.05 Selective Enforcement
Ch 25.10 Speed Checking Devices
Ch 25.11 Traffic Offenses Involving Alcohol and Drugs

Information Technology Policies – Updating to comply with current practices

Removed duplicate procedures, began writing account management procedures for our Department IT Specialist to verify.

Ch 10.01 Remote Access
Ch 10.02 Computer Account management
Ch 37.02 Mobile Data Terminals

Affected CALEA Standards: 110404, 410307

PEIS Policy – Rewriting to comply with current practices

Ch 05.13 Personnel Early Identification System

Vacation – 3 days

Planned Next Week 5/4-10/2025

Accreditation Files

Work with Chief to close all standards years 4-1-2-3 before Mock Assessment.

Criminal Follow-up Investigations and Victim/Witness Follow-up Investigations

Verify updated procedures

Ch 27.02 Preliminary and Follow-up Investigations

Ch 27.07 Assistance to Victims and Witnesses

Added as Endnotes Each Standard with Types of Proofs of Compliance.

CALEA CIMRS (CALEA Information Management & Reporting System)

fill in the Policy, Procedures, & Practices Updates.

And Beyond

EEO Plan

Write the Plan for CALEA 31.2.3 The agency has an equal employment opportunity plan.

New CALEA Standard 41.3.10 In-Car and Body-Worn Audio Video Reviews

Finish writing Policy Audio & Video Reviews (additional 12 proofs of compliance due this time next year)

ADMINISTRATION

Administrative Corporal

- **FLEET**
  - Scheduled Unit #201 @ Global Public Safety re: update docking station
  - Unit #214 transported to Safelite re: Rear Window shattered/replaced
  - Ferrell Fuel re: Gas key for Recruit Edwards
  - Monthly Vehicle Inspection Forms
  - NAPA Invoice #144340, Unit #213, $34.98 (Wiper blades)
  - Fisher Auto Parts Invoice #109-305307, Unit #223, $31.36 (Light Assembly)
  - NAPA Invoice #141160, Unit #249, $31.24 (Wiper blades)
  - NAPA Invoice #141161, Unit #249, $31.24 (Wiper blades) (**Charged 2x**)
  - NAPA Invoice #144665, Unit #249, $31.24 (**CREDIT**)
  - NAPA Invoice #142074, Unit #234, $63.00 (Lug Nut set)
  - Preparing next Vehicle Maintenance Cycle

- **COMMUNITY POLICING/RELATIONS**
  - Updating Community Policing Event Log for 2025
  - Updated 2025 Ironbirds Game Coverage details on PACE
  - Community Policing Detail @ JFK Barrack re: Car Show w/a Cop
  - Bulk Item Pick-up Detail (Mowery Covering)
  - OFC Thomas Retirement Final Radio Call

- **GRANTS**
  - Contacted Sun Jang @ GOCCP re: GAN PACT 2025
  - PACT 2025 Grant GAN executed
  - Q3 Financial Report completed & submitted
  - Contacted Vickie Harter re: CC receipts for PACT Grant

- **TRAINING**
  - Entering training in Skills Manager personnel profiles
  - Training Cpl. Mowery on Administrative Corporal duties
  - Administered Annual PHYSAG Testing
  - Processed OFC Thomas retirement exit
  - Posted Railroad Investigation & Safety Training availability
  - Completed & submitted Instructor Certification Application re: Davis
  - Submitted In-Service Program Approval Application re: AXON Taser 7
  - Assigned Remedial Training for Recruit Zamora (Police One Academy)
  - Sent Police One Academy In-Service Assignments (All & Supervisors)
  - Completed & submitted NPA to MPTC re: OFC Jon Thomas retirement

- **CALEA**
  - Nothing to report

APD 24 HOUR REPORT

Date of Incident: 05/05/2025

Incident Type: Pursuit and Foot Pursuit

Incident Report Number: 2025-00100429

Location of Incident: Old Post Rd @ Aberdeen Thruway

Reporting Officer: A/Cpl. Gerace #157

Synopsis of Events:

On Monday, May 5th, 2025, at approximately 0118 hours, A/Cpl. Gerace #157 was on routine patrol in the area of Roosevelt Ave / Old Post Rd. At approximately 0119 hours, A/Cpl. Gerace observed a 2012 Blue Ford Fusion bearing Maryland registration [redacted] traveling at a high rate of speed on Old Post Rd approaching Aberdeen Thruway. A/Cpl. Gerace also observed the vehicle failed to stop at the stop sign at Roosevelt Ave / Old Post Rd. Due to said traffic violations, A/Cpl. Gerace initiated a traffic stop at the intersection of Old Post Rd / Aberdeen Thruway. A/Cpl. Gerace observed the vehicle turn right onto Aberdeen Thruway heading towards the Aberdeen Proving Grounds and fail to stop after activation of emergency lights and siren. A/Cpl. Gerace feared the vehicle was going to crash right into the Aberdeen Proving Grounds base. A/Cpl. Gerace radioed to other units to respond to E. Bel Air Ave to cut off the suspect. Ofc. Chaney #174 was in the immediate area and responded to E. Bel Air Ave. A/Cpl. Gerace observed the vehicle to make a split-second decision and turn right onto E. Bel Air Ave, striking the curb at a high impact. The vehicle continued onto E. Bel Air Ave. Ofc. Chaney attempted to block the vehicle in the area of E. Bel Air Ave with his emergency lights activated, however, the vehicle swerved around Ofc. Chaney, almost striking his vehicle head-on. The vehicle continued on E. Bel Air Ave and eventually entered the driveway of [redacted] E. Bel Air Ave before a foot pursuit ensued. Ofc. Chaney observed the driver to be a white/male, wearing a t-shirt and shorts. Ofc. Chaney immediately recognized the suspect to be [redacted]. Ofc. Chaney observed [redacted] running into the wood line behind [redacted] E. Bel Air. Officers established a perimeter, requested additional units, a K9 and a drone operator to respond to the scene.

Deputies of the Harford County Sheriff's Office responded to the incident along with K97. As K97 was conducting a track of [redacted], A/Cpl. Gerace, Ofc. Massimei, and other deputies of the Harford County Sheriff's Office were in the area of [redacted] Pritchard Ave. At approximately 0149 hours, A/Cpl. Gerace observed [redacted] jump the rear fence of [redacted] E. Bel Air Ave. A/Cpl. Gerace and Ofc. Massimei pursued [redacted] on foot, giving him verbal commands to stop running. [redacted] eventually complied and was taken into custody at 0150 hours.