City of Aberdeen
Weekly Report
March 30 – April 05, 2025

I. City Hall

a. Department of Finance
b. Department of Planning and Community Development (DPCD)
c. Department of Public Works (DPW)
d. Human Resources Department

II. Aberdeen Police Department (APD)

PAGE INTENTIONALLY LEFT BLANK

I. CITY HALL

a. DEPARTMENT OF FINANCE

The following activities and actions took place this week:

Receipts for the week were:

1. General Fund	$	429,586
2. Capital Projects Fund		0
3. Water & Sewer Funds		240,811
4. Stadium Fund		0
Total	$	670,397

Disbursements for the week were:

1. General Fund	$	108,074
2. Capital Projects Fund		0
3. Water & Sewer Funds		295,143
4. Stadium Fund		1,882
Total	$	405,099

Significant Receipts:

1. Police Differential $328,758

Significant Disbursements:

1. Sewer Rehabilitation $235,613

b. DEPARTMENT OF PLANNING AND COMMUNITY DEVELOPMENT

The following activities and actions took place this week:

3/31/2025

- ❖ Ms. Grover attended a meeting with Mayor McGrady to discuss open space requirements and Cost Benefit Analyses for the Reserve at Greenside.
- ❖ Ms. Grover attended a meeting with Morris and Ritchie Associates representatives to discuss her department comments on The Reserve at Greenside.
- ❖ Ms. Ward worked on the 3 Year Building Permits Issued Comparison Reports from March 2024 – December 2024 using information from last year to complete.
- ❖ Ms. Ward worked with Ms. Cromwell on issuing permits.

4/01/2025

- ❖ Ms. Grover reviewed all MDOT SHA comments and Traffic Impact Analysis reports for proposed development at Cranberry Run Phase II.
- ❖ Ms. Ward finished the 3 Year Building Permits Issued Comparison Reports from March 2024 – December 2024. Then completed the 2024 Annual Building Permits Report and the 2022-2024 Annual Building Permits Issued Comparison Report that was presented to Mayor McGrady and Ms. Grover.
- ❖ Ms. Grover created a list of Churches. Non-Profits, and Veterans Service Organizations located in the City of Aberdeen.

4/02/2025

- ❖ Ms. Grover attended a virtual meeting for Route 40 Business Association via Teams to provide comments on new business activities in Aberdeen.
- ❖ Ms. Ward worked on drafting the TOD (Transit Oriented Development Station Square Project) RFP paperwork with Ms. Grover.
- ❖ Ms. Grover attended a Maryland Sustainable Community Webinar.
- ❖ Ms. Grover Inquired with Harford County Department of Community Services on use of CDBG allocation for additional lighting at North Deen Park
- ❖ Mayor McGrady asked Ms. Ward to create a spreadsheet of names, addresses, and points of contact (if available) for all future annexation planning areas focusing on zones 4, 5, 7, 8, and 9.
- ❖ Ms. Cromwell created a flyer/invitation for a meeting on April 23rd about the future annexation planning areas to be sent to those residents in zones 4, 5, 7, 8, and 9.

4/03/2025

- ❖ Ms. Grover submitted all quarterly reports for all MD Department of Housing and Community Development grants awarded to the city. Submitted for reimbursement of improvements approved at 16 S. Philadelphia Boulevard. Reviewed status of grants with Mayor McGrady relating to 22 Howard Street and Centennial and Cypress Lane streetscape projects.
- ❖ Ms. Ward completed the future annexation planning spreadsheet the information was provided to Mayor McGrady and Ms. Grover.
- ❖ Ms. Ward worked more on the TOD Draft.

DPCD

4/04/2025

- Ms. Grover attended a meeting with Vickie Horne, Main Street Coordinator on the MD DHCD Project Restore grant.
- Ms. Ward completed the TOD Draft awaiting feedback for edits.
- Ms. Ward organized files and helped issue permits.

Permits Processed – Residential

Address	Type	Value of Construction
757 Sagebrush Loop	Fence	$ 4,900
702 Springbok Dr	Deck	$ 8,900
3636 Gerlad Dr	Fence	$ 5,000
414 S Rogers St	Fence	$ 10,000
59 Swan St	Fence	$ 900
812 Leni Way	Fence	$ 6,000
769 Cronin Dr	Above-ground Pool w/concrete walkway	$ 46,800
461 Hillcrest Dr	Deck ext. w/ steps	$ 6,000
3674 Gratitude Way	Fence	$ 8,549
871 Forgans Dr	New SFD	$ 278,000
65 Mt Royal Ave	Push Piers	$ 12,000
167 Allendale Ave	Fence	$ 2,900
218 Woodland Green Way	Basement gutters	$ 4,000
Total: 13		$ 393,949.00

Permits Issued this Week:

Address	Type	Value of Construction
414 S Rogers St	Fence	$ 10,000
3642 Gerald Dr	Interior Renovations	$ 11,000
757 Sagebrush Loop	Fence	$ 4,900
702 Springbok Dr	Deck	$ 8,900
870 Forgans Dr	New SFD	$ 224,000
3636 Gerald Dr	Fence	$ 5,000
59 Swan	Fence	$ 900
167 Allendale Ave	Fence	$ 2,900
3674 Gratitude Way	Fence	$ 8,549
Total: 9		$ 276,149

New Commercial Issued Certificates of Use and Occupancy:

3672 Churchville Rd Ste E – Cultivate Barber Shop

Plans still under review at DILP and/or Health Department:

719 S Philadelphia Blvd – interior reno to create lounge area; 320 S Philadelphia Blvd – Tenant Space – Mavis Tires & Brakes; 210 Research Blvd- Tenant Space for TechX; 251 Paradise Rd- Aberdeen High School ticket booth; 715 Falcon Ln – Solar Panels; 603 W Bel Air Ave: interior/exterior renovations; 237 E Bel Air- deck

The Preserve at Gilbert Meadows:

176 Total lots

Total # of Permits Applied for – 142

Total # of permits released: 122 (68 SFD/54 TH)

Total # of Type I Certificates of Occupancy released - 17

Total # of Type II Certificates of Occupancy released - 78

Aberdeen Overlook

344 Total Lots

Total # of Permits Applied for – 182

Total # of permits released: 180 (42 SFD/138 TH)

Total # of Type I Certificates of Occupancy released – 3

Total # of Type II Certificates of Occupancy released – 83

c. DEPARTMENT OF PUBLIC WORKS

SUBDIVISION & LAND DEVELOPMENT:

- 21-03 Gilbert Meadows – Ongoing. Pavement issues. House construction continues in all Phases. Site is in compliance.
- 22-01 Fieldside Grande – Ongoing. Building construction continues. ESC corrections needed. Grading permit expires 5/9/2025 to be renewed to include SWM.
- 22-03 HEAT Center/Technology Drive – Awaiting installation of new utility mains at Lot 4. Comments provided to developer on PWA draft and Cost Estimate for Lot 5.
- 22-05 Aberdeen Overlook – Ongoing. Community Center and individual house construction continues in all phases. Site is in compliance. Meeting on-site 4/2/2025 with developer/contractor to discuss core results. Reuling invoice for cores has been forgiven.
- 22-07 Rutters – Store is open for business. Site is in compliance. Awaiting submission of As-Built Plans.
- 22-08 Popeye's – Ongoing. Building construction continues. ESC corrections needed. Paving on site is complete.
- 23-02 Fields of Aberdeen – Ongoing. Building construction continues. ESC corrections needed. SWM pipe installation in progress.
- 23-03 George D Lisby Parking Lot Improvements –Site is dormant awaiting final asphalt. Site is in compliance.
- 24-01 Aberdeen MS –Site is dormant awaiting public water tie-in. Site is in compliance.
- 24-01-04 500 Market Street (Cell Tower) – ESC corrections outstanding: silt fence repair and stabilization.
- 24-02 WashX – Middleton Holdings Lot 3 – Awaiting resubmittal of plans for final review.
- 24-04 Hickory Ridge Lot 4 – Awaiting next submission of ESC Plan, SWM Plan and Report.
- 24-05 Goddard School – Final SWM Plans submitted 3/18/2025 under review. Awaiting re-submittal of plan showing re-alignment of utilities. Road will not be closed.
- 24-10-01 913 Old Philadelphia Road (Amazon) – Construction continues on limited site improvements on the inbound side. Site is in compliance.
- 25-02 Residences at Festival Square – Awaiting next round of submission.
- 25-03 Goddard School Temporary Stockpile – Pre-construction meeting held 2/24/2025. Work has not begun.
- 25-04 502 S Pulaski Highway – SWM Plans submitted 4/2/2025 for review. Awaiting submittal of public utility plan.
- Aberdeen XChange – Awaiting SWM submittal for the project.
- Chick-Fil-A Drive Thru Expansion – SWM Comments being prepared.
- Greenside Reserve – APFO Study to be re-submitted with adjustments to water info. Meeting to be held 4/7/2025 with Director to discuss sewer modeling.

WATER

- 24-12-01 Northeast Booster Pump Station – Site is in compliance. Construction continues.
- 25-02 Roberts Way & Shirley Dr. Area Waterline – DXI started sewer point repairs on Roberts Way. Warranty repair on Roberts Way @ Andrews Road is complete.

ASSOCIATE ENGINEER

- 22-18 Swan Meadows Utilities – KCI proposals to revise the design approved and returned. Proposal for contract services through bidding and construction phases under review, awaiting revisions.
- 23-07 WTP PFAS Upgrade – Final Report submitted, and sub-contractor bidding closed. GHD to re-schedule kick-off & site meeting to April 16th 2025.
- 24-02 Lead Service Line Inventory Compliance – Next Compliance Deadline in November of 2027, GHD has submitted a proposal supporting compliance by late 2026. Proposal is under review with City leadership.
- 22-09 RT22 Sewer Interceptor – GHD instructed to finish survey scope and deliver results to City, then close billing out to halt project for time being. Further design will not be pursued. No change.
- 25-02 Roberts Way & Shirley Dr. Area Waterline – DXI repaired damage section of sewer from installation of water line at Andrews Rd & Roberts Way. Waterline tested and reinstated. Final paving on hold until completion of contracted sewer repairs under 25-04 project.
- 25-04 Sewer Rehabilitation – DXI began repair work on Roberts Way to support pipelining by Insituform. 1 of 4 repair sections have been completed so far. Insituform authorized to inspect and line sections of pipe on Hillcrest Dr to support road resurfacing of approximately 760 feet.
- 25-05 WWTP Clarifier Rebuild – Additional project and manufacturer specifications provided by addendum. Deadline for questions is 4-4-25. Bid opening 4-11-2025.
- MS4 & Stream Restoration – Stream closure period currently in effect. In the meantime KCI is developing required public outreach materials and signage. Notices for Summerlin residents have been submitted for review and approval to City and MDE.
- Cypress Alley & Howard St – additional follow up sent regarding grease trap specs from vendor to allow further movement on utility connections, no change
- 22-05 I-95 Water Tower – meeting with County held 3-24-25, ESC permits to be released, projects plans at Harford Soil for review.
- 22-10 Eagles Rest & Carsins Run Lift Stations – meeting with ARRO scheduled to review discrepancies in modeling for upgrade of sewer lift stations

DPW DIRECTOR

- 22-10 Carsins Run & Eagles Rest Lift Stations - Waiting on establishment of sewer loading from Reserve at Greenfield and other future loading. Redesign, permitting and bid documents to be completed by Spring 2025. Bid requests to be processed middle of 2025. Progress meeting scheduled for 4/7/2025 at consultant's office. (No Change)
- 22-05 I-95 Elevated Water Tank - Project active. Project start date of August 1, 2024. Processing Contractor shop drawings and submissions. Pre-construction site meeting to be scheduled with Aberdeen, Harford County and Contractor. Waiting for Harford County permit approval. Possible scheduling issues due to delay with Harford County permitting. (No Change)

- Supplemental Water Source - Continues discussions with Harford County, Havre de Grace and City of Baltimore on additional or alternative water supply.

- 22 North Howard Street - Project active with Grease trap to be supplied and installed. Topo Survey and property markers to be completed by MRA.
- Northeast Water Tank Booster Station (Johnson Development) - Project Active
- Ripken Stadium - Concession Agreement renewal arbitration decision delivered. Discussions with new owners of team and owners of adjoining property concerning possible change in operations and funding. (No Change)
- ARPA Funding - Accountability documentation provided through Mr. Jack. Expenditure documents to be provided to support grant as projects close. (No Change)
- APFO Studies - Meeting scheduled with consultant (4/7/2025) to coordinate previous studies with current study (Reserve at Greenside) to determine impacts of possible increase in sewer and water flow to the site.

CITY COMPLIANCE
- 10 calls, 14 emails, 21 active cases, 1 Closed Cases.
- Daily routine inspections.
- Follow-up with Structural Inspector, Robert Radcliffe at Reliable Engineering.

GIS
- Import stormwater layers from Beehive to geodatabase and ArcGIS Online account.
- Create map for proposed dispensary for Planning.

RECORDS RETENTION
- Continued engineering office scanning project
- Prepare 25 documents for submittal to Land Records
- Record Retention at State for informal review.

DPW ADMINISTRATIVE
- Processed 6 invoices totaling $14,445.35
- Entered 2 requisitions totaling $75,139.97
- Learned the Granicus system for uploading topics to the City Council Mtg. agendas.

MAINTENANCE DIVISION

BUILDINGS & GROUNDS

- Responded to 12 requests for service.
- Provided chipper service for 13 residents.
- Performed Transfer-Station maintenance.
- Working on Swim Club punch list.

STREETS & STORM WATER

- Cleaned 9,106 Lft. of roadside trash.
- Removed 9 trees and trimmed 16.
- Replaced/installed 40 Lft of sidewalk/curbing using 2.5 Cu. Yds. Of concrete.
- Replaced 3 previous stone patches from excavations with 4 tons of hot mix asphalt.
- Checked 801 storm drain inlets, cleaned 36 removed approx. 565 lbs. of debris.
- Performed roadside cutting of 2,981 Lft.
- Performed maintenance/cutting on 3 storm water ponds and 4 storm water swales.

WATER & SEWER

- Responded to 6 service calls.
- Repaired fire hydrant at Hillcrest and Mt. Royal.
- Replaced water service at 211 Law St.
- Installed 12 water meters at various locations.
- Repaired sewer clean outs at 515 and 522 Second St.
- Cleaned 3,241 Lft. of sewer main and CCTV Inspected 3,352 Lft.
- Provided support to DXI for water and sewer main repairs.

FLEET

- Scheduled Repairs: 7
- Emergency Repairs: 5
- Services: 2 – APD: 5
- Unit 104 – Trash Truck – Out of service – Waiting on brake chambers
- Old Unit 33 – wheel loader was picked up by purchaser.

MANPOWER

- 3 openings in Maintenance.1 opening in Environmental.

WATER / WASTEWATER PLANT OPERATIONS

WASTE WATER TREATMENT PLANT

- COA WWTP treated 14.8 million gallons. March 27th to April 2nd.
- APG WWTP treated 4.5 million gallons. March 27th to April 2nd.
- Methanol tank new controller installed by contractor
- Preparing heat center sewage pump station for electrical upgrade.

WATER TREATMENT PLANT

- COA WTP treated 3.2 million gallons March 27th to April 2nd.
- APG WTP treated 5.6 million gallons March 27th to April 2nd.
- Collected 5 routine bacteriological samples
- Well aquifer level readings.

DEPARTMENT

- 3 plant operator vacancies
- 1 facility worker vacancy

SUPERINTENDENTS

- Attended Maryland Rural Water Association conference.

APG WATER / WASTEWATER PRIVATIZATION OFFICE

PROGRAM MANAGER

- Preparing documentation and gathering information for the FY 2026 COS Budget submission.
- Supporting access for T-Mobile at the Rock Island EWT cell upgrade.
- Inspected lift station #385 for close out items.
- Provided answers to numerous RFI's of surplus units old #65 & #84. Auction has ended, review of final bid position needs performed and excepted or rejected.

MAINTENANCE CREW

- FY25 Annual Fire Hydrant Flushing - Completed Week #1 of schedule
- Bldg. #4019 - Turned water off, building vacant and on Demo list
- Bldg. #1100F - L/S Alarm sounding, silenced alarm, notified WWTP
- Bldg. #631 - yard hydrant leaking, face plate was too tight
- Near Bldg. 250 – Verifying valves and water mains with GIS mapping for accuracy.
- Near Bldg. #4401 – Checked for water leak – we did detect a leak by testing samples of running water in area – Continue investigating area.
- Near Bldg.# 4401 – Checked broken sewer cleanout, temporary repair c/o top to keep out I&I and other, submitting dig permit to repair entirely.
- Bldg. #2503 - Turned water off/on for contractor doing work inside building on fire suppression line.

d. HUMAN RESOURCES DEPARTMENT

Current Openings – 10 total
APG Maintenance Shop – 1 Foreman, 1 Maintenance Worker
DPW Maintenance Shop – 2 Maintenance Workers
W/WW – 1 Facility Worker, 3 Operators

II. ABERDEEN POLICE DEPARTMENT (APD)

APD WEEKLY REPORT
March 30 – April 5, 2025



APD Calls for Service

March 23 - 29, 2025
Total Call for Service/Events Works - 536
Patrol Checks – 133
Community Policing Detail – 17
Bike Patrols - 17
Foot Patrols – 55

Eastern District Incidents

Assault – 2
Vandalism – 1
Trespassing - 1

Central District Incidents

Theft from Motor Vehicle – 1
Assault – 1
Burglary – 1

Western District Incidents

Theft – 5
Child Abuse – 1
Assault – 5
Vandalism – 2
Juvenile Complaint – 1
Fugitive – 1
M/V Theft – 1

Arrest March 23 - 29, 2025

202500048246	3/25/2025	Assault
202500067474	3/25/2025	Theft & CDS
202500067474	3/25/2025	Theft & CDS
202500066557	3/26/2025	Assault & Vandalism
202500067656	3/26/2025	Vandalism
202500065121	3/27/2025	Robbery
202500069073	3/27/2025	Warrant
202500069304	3/28/2025	Assault
202500066557	3/28/2025	Assault
2024000251919	3/28/2025	DUI

APD Weekly Traffic Report
March 30 – April 5, 2025

Traffic Stops
50 Stops/Contacts
25 State Citations
68 Warnings
2 Safety Eqt. Repair Orders
1 DUI

Crashes (Reportable, PI/PD)
6 (5 Property Damage, 1 Personal Injury)

SMART (Speed Monitoring Awareness Radar Trailer)
-Beards Hill Road / Ruby Drive

STATTRAK
- Carol Avenue

APD IT

- 18 Miscellaneous user/computer issues
- Daily surveillance camera check
- Daily firewall inspection and report
- IT manager onboarding
- IT budget proposal submit
- Allie Hall finance AD account
- Microsoft license and AD cleanup
- Computer pickup system source
- Calea proofs x2
- Attend comcast account meeting

ADMINISTRATION

- **FLEET**
  - Scheduled Units 213, 233, 234, 238, 256 and 257 for PM servicing
  - Rescheduled PM servicing for Unit #'s: 228
  - Ferrell Fuel Gas key (Recruit Cross)
  - Dropped off Unit #214 (Chief's Tahoe) for PM servicing
  - NAPA Invoice #143167, Unit #209, $36.99 (Wiper blades)
  - NAPA Invoice #143144, Unit #209, $86.18 (Oil, Filters)
  - NAPA Invoice #142486, Unit #244, $.72 (Bulb)
  - NAPA Invoice #142335, Unit #225, $86.18 (Oil, Filters)
  - NAPA Invoice #142697, Unit #238, $58.03 (Oil)
  - NAPA Invoice #142456, Unit #244, $86.18 (Oil, Filters)
  - NAPA Invoice #142513, Unit #243, $86.18 (Oil, Filters)
  - NAPA Invoice #142455, Unit #236, $86.18 (Oil, Filters)
  - Fisher Auto Part Invoice #109-302618, Unit #238, $66.16 (Filters, Wiper blades)
  - Fisher Auto Part Invoice #109-302820, Unit #254, $113.27 (Oil, Wiper blades)
  - Al Packer Invoice #558985, Unit #201, $3,898.38 (Repair)
  - Updated EZPass account CC info
  - Scheduled Unit #202 @ Radio Shop re: Radio programming

- **COMMUNITY POLICING/RELATIONS**
  - Updating Community Policing Event Log for 2025
  - Updated 2025 Ironbirds Game Coverage details on PACE
  - Ordered Chick-fil-A for Critical Asset Training

- **GRANTS**
  - Completing Q3 PACT Grant reports
  - Initiating SFY 2026 PRAR Grant
  - Preparing Staffing Plan for 2026 PRAR Grant application
  - Contacted Finance Director Jack re: Financial documents for grant application

- **TRAINING**
  - Entering training in Skills Manager personnel profiles
  - Begin training Cpl. Mowery on Administrative Corporal duties
  - Entered 2 Approved MPTC In-Service Programs into Skills Manager
  - Updated MPTC account CC info
  - Entered Recruit Wangu in Skills Manager & Police One Academy
  - Submitted Form #98 re: Biennial Mental Health Evaluations ($5,000)
  - Received & distributed MPTC Certification Cards to personnel
  - Contacted MPTC re: Missing Certification Cards

- **CALEA**
  - Researching CALEA standard proofs

APD 24 HOUR REPORT

Date of Incident:3/31/2025

Incident Type: Stolen MV (recovered)

Incident Report Number: 25-74001

Location of Incident: [redacted]. Aberdeen Md. 21001

Reporting Officer: Ofc. Kinlaw A165

Synopsis of Events:

UPDATE

Upon reviewing the 24 Hr. report, Ofc. Chaney recalled a DUI he had recently where his suspect was operating the vehicle in question (IR 25-72625) and had seen an electric scooter in the [redacted]. Based on this information the HCSO was asked to respond to the residence of the suspect, [redacted], who lived in [redacted]. Located in the area of the residence was the stolen vehicle. The vehicle was unoccupied and was transported back to the Aberdeen PD Sallyport for processing. An application for charges against [redacted] will be filed by Ofc. Kinlaw.

On 4/2/25 Officer Kinlaw was dispatched to [redacted]. for a past motor vehicle theft. Upon arrival, Officer Kinlaw made contact with [redacted]. [redacted] advised while at work he noticed his [redacted] bearing MD. registration [redacted] was missing from his shop. [redacted] stated that he reviewed his cameras and saw an unknown white male with a beard wearing a black jacket drive onto the property on an e-bike, load the e-bike into the back of the [redacted], and then driving off in an unknown direction of travel. [redacted] advised that the value of the [redacted] was [redacted].

Photos and videos of the incident will be attached to the report. A BOLO was sent out through the Department of Emergency Services and the vehicle was entered into NCIC as stolen.

CID Detective Lightner was notified of the incident.

APD 24 HOUR REPORT

Date of Incident: 04/02/25

Incident Type: Assist Other Agency Stabbing

Incident Report Number: 202500073930

Location of Incident: 660 McHenry Dr.

Reporting Officer: A\Cpl. Haddix

Synopsis of Events:

On April 2nd, 2025, The Victim was a walk in at the Upper Chesapeake Aberdeen Hospital with stab wounds to his [redacted] and [redacted]. The Victim's story was that he had gotten stabbed in Aberdeen on an unknown [redacted]. A\Cpl. Haddix was dispatched and met the Victim at the hospital. The Victim reported he ran to [redacted]. where he met his girlfriend who drove him to the hospital. The Victim was transported to Shock Trauma in Baltimore for his injuries.

There is a reason to believe through the initial investigation that the incident described occurred in the area of [redacted] and the investigation continues by the Harford County Sheriff's Office.

APD 24 HOUR REPORT

Date of Incident: 04/02/25

Incident Type: Unattended Death

Incident Report Number: 202500073914

Location of Incident: [redacted]

Reporting Officer: Johnson

Synopsis of Events:

On April 2nd, 2025, Officer Johnson was dispatched for a Cardia Arrest at [redacted]. Upon arrival Officer Johnson and EMS Unit 21 C gained entry to the apartment with the assistance of the Assistant Property Manager [redacted]. At this time, the Victim [redacted] was lying on her bed face up fully clothed unresponsive. EMS Paramedic Lannen advised the Victim Priority four at 1449 hours. The Victim was positively Identified by her Maryland Identification Card. The Medical Examiner's Officer was contacted to respond. The Victim's son was notified of his mother's death.

APD 24 HOUR REPORT

Date of Incident: 4-1-25

Incident Type: Identity Theft

Incident Report Number: 2025-00073157

Location of Incident: [redacted], Aberdeen, MD, 21001

Reporting Officer: Cpl. Tenny

Synopsis of Events:

On 4-1-25 at about 1532hrs Cpl. Tenny responded to [redacted], Aberdeen, MD, 21001 in regard to an Identity theft. Upon arrival contact was made with [redacted].

[redacted] advised that on 3-17-25 he received a check in the amount of [redacted]. [redacted] thought it was suspicious and called QuickBooks in regard to the check. [redacted] advised he works with QuickBooks and wanted to contact them in regard to the check. [redacted] advised a representative by the name of [redacted] told him that the check seemed legitimate but not to cash it.

[redacted] also advised that he noticed deposits and a withdrawal in his business account [redacted] that were not his. [redacted] advised he looked into the activity on his business account and discovered someone had taken a business loan out in his name. The amount of the loan taken out was for [redacted]. [redacted] also noticed a deposit in his account for the amount of [redacted]. [redacted] advised that he does not know what the deposit of [redacted] was for but suspects it to be fraudulent. A total of [redacted] was withdrawn from his account in 2 withdrawals. [redacted] also advised that he thinks someone is trying to launder money into his company.

CID was notified of the above incident. An identity theft packet was provided to [redacted] who was instructed to return it by 4-4-25.

APD 24 HOUR REPORT

Date of Incident: 04.07.2025

Incident Type: Arson

Incident Report Number: 202500077504

Location of Incident: [redacted]

Reporting Officer: Off. Potts

Synopsis of Events:

On 04.07.2025 at 0145hrs, the officer was dispatched to [redacted] for a suspicious fire. Upon arrival the officer identified a Hall's Honey Pot engulfed in flames. The officer viewed the Verkada camera located at [redacted]. and [redacted]. to locate a suspect. At 1208 the officer observed an unknown suspect walk towards the area of the Honey Pot. At 1212 the unknown suspect reappears from the area of the [redacted] and meets with another subject near [redacted]. Both subjects look around and proceed West bound on [redacted], out of the area.

APD 24 HOUR REPORT

Date of Incident: April 6, 2025

Incident Type: Emergency Petition – Officer Injured

Incident Report Number: 2025-00077267

Location of Incident: 660 McHenry Rd – Upper Chesapeake Hospital- Aberdeen)

Synopsis of Events:

On 4/6/2025, Officers responded to Upper Chesapeake Hospital (Aberdeen) in reference to a check the welfare.

The caller was an employee from the hospital, stating that a male subject, later identified as [redacted], walked out of the hospital and they wanted Officer's to EP him. Upon contact with [redacted], he was seated on the curb in front of the hospital's emergency room area speaking with one (1) hospital security guard. [redacted] was highly intoxicated and stated that he wanted to just leave. [redacted] had made arrangements for a LYFT driver to pick him up at this location. [redacted] refused to remain seated and each time he stood up, he stated that he was going to fight someone. [redacted] stated that he wanted to hurt himself.

[redacted] began stepping toward officers with clenched fists in a combative stance. He was stepping backwards into the parking lot area while officers were attempting to get him into custody. As [redacted] was attempting to stop his movement, he began to swing and made contact with her arm. [redacted] immediately took [redacted] to the ground, and officers placed him in cuffs.

[redacted] pretended to be unconscious after being handcuffed. Officers immediately called for medical assistance and helped him to a seated position. Hospital staff noted that no treatment was required.

During the takedown, [redacted] right hand was trapped under [redacted]. [redacted] was treated at UCMC and released with no significant injury noted.

APD 24 HOUR REPORT

Date of Incident: 4/4/2025

Incident Type: Missing Person

Incident Report Number: 202500075676

Location of Incident: 660 Mc Henry Road

Reporting Officer: Sgt. Jason Neidig

UPDATE:

Officers were dispatched to Upper Chesapeake Medical Center-Aberdeen in reference to [redacted] wishing to surrender his firearm. [redacted] was being released from the hospital and was concerned about his mental health and wished to place his Glock 9mm firearm in the custody of the Aberdeen Police Department. [redacted] signed the documentation noting that if he did not retrieve his firearm within 30 days, it would be destroyed. An 01 was completed by Officer Welsh in reference and the firearm was placed on property.

[redacted] granted permission for officers to search his vehicle for additional weapons and ammunition which yielded negative results..

Synopsis of Events: At 2:36 PM, Sgt. Neidig responded to UMUC-Aberdeen to meet with security in reference to the named victim, who reported that he had bought a gun, and it was in his car located outside in the parking lot. The subject checked himself into the hospital (unknown date) and is admitted to the BHU. There were no threats, just his statement. This information came to the attention of the dayshift security through another security member who worked the overnight shift. That security member forgot to pass the information onto the dayshift security.

A check revealed the subject in fact purchased and registered a 9mm Glock in February 2025. BHU staff would not elaborate on why the subject had come into the hospital. They would only state that the subject told them the gun was in his trunk unloaded. Sgt. Neidig contacted Det.\Sgt. Shoffstall and briefed him on the incident. Due to no crime and not knowing why the subject was in the BHU, there is no further investigation.

APD 24 HOUR REPORT

Date of Incident: 4/3/25

Incident Type: Shooting

Incident Report Number: 2025-00074989

Location of Incident: [redacted]

Reporting Officer: Off Potts

Synopsis of Events:

On Thursday, April 3rd, 2025, at approximately 1828 hours, Officers responded to the Upper Chesapeake Aberdeen Hospital in reference to a walk-in victim of a gunshot. Officers identified the victim as [redacted]. [redacted] stated that he was walking in the [redacted] when he felt himself get shot in the foot. Officers noticed many inconsistencies with his story. Detective Lightner was notified of the incident and responded to the scene. It was later discovered that the incident actually occurred behind [redacted]. Surveillance showed a group of juveniles go behind the location and then the victim comes from behind the store flagging down his ride to the hospital. A search of that location yielded negative results for evidence. CID is continuing the investigation.