City of Aberdeen

Weekly Activity Report

May 17 - 23, 2026

I. City Hall
- A. Department of Finance
- B. Department of Planning and Community Development (DPCD)
- C. Department of Public Works (DPW)
    1) City Engineering & Administration
    2) Maintenance Division
    3) Water/Wastewater Plant Operations
- D. Human Resources Department

II. Aberdeen Police Department (APD)
- A. APD Calls for Service
- B. Weekly Traffic Report
- C. Accreditations
- D. Administration
- E. 24 Hour Reports

I. City Hall

A. Department of Finance

Weekly Update

Receipts for the week were:

1.	General Fund	$ 17,072
2.	Capital Projects Fund	0
3.	Water & Sewer Funds	242,476
4.	Stadium Fund	0
	Total	$ 259,548

Disbursements for the week were:

1.	General Fund	$ 781,595
2.	Capital Projects Fund	0
3.	Water & Sewer Funds	369,883
4.	Stadium Fund	0
	Total	$ 1,151,478

Significant Receipts:

1. N/A

Significant Disbursements:

1.	Payroll	$517,696	
2.	Medical Insurance	$234,134	
		Water Purchases	$195,948

B. Department of Planning and Community Development (DPCD)

The following activities and actions took place this week:

- Attended City Council work session to discuss FY2027 budget and City Council meeting.
- Attended legislative session briefing with the Maryland Economic Development Association to hear the issues impacting the economic development and businesses in Maryland.
- Attended the Economic Development Commission meeting and provided an overview of issued Certificates of Occupancy for new residential dwellings and business personal property and real estate taxes paid for commercial and industrial businesses.
- Attended special Planning Commission meeting to review the revised final subdivision plat for Dol-Ray, Norman Avenue. The Planning Commission recommended approval to the City Council.
- Updated all checklists for concept and preliminary site plans, final subdivision plats, and the rezoning for individual parcels application. Updated all processes to ensure all Development Code revisions are reflected.
- Visited the Goddard School with the City Inspector to make sure all landscaping, signage and lighting meet the approved landscape and lighting plan.
- Reviewed the Defense Communities Infrastructure Program application with Mrs. Beth Boyson and discussed potential uses of the funds.

Weekly Building Permit Activities:

Permits Processed – Residential

Address	Type	Value of Construction
10 Aberdeen Avenue	Shed	$4,200
935 Poppy Drive	Fence	$4,400
836 Forgans Drive	New SFD	$221,000
951 Swilken Bridge Road	Patio	$3,000
961 Poppy Drive	Fence	$4,500
937 Swilken Bridge Road	Fence	$4,900
137 William Powell Court	Solar Panels	$15,000
12 Lewis Drive	Shed	$4,200
Total: 8		$261,200.00

Permits Processed – Commercial

Address	Type	Value of Construction
1104 S Philadelphia Blvd.	Alterations	$350,000
Total: 1		$ 350,000

Permits Issued this Week:

Address	Type	Value of Construction
951 Swilken Bridge Road	Patio	$3,000
710 Nottingham Drive	Garage	$11,700

18 N Howard Street	Tenant Fit Out	$114,000.57
302 Baltimore Street	Fence	$2,000
106 St Matthew Court	Solar Panels	$15,000
10 Aberdeen Avenue	Shed	$4,200
935 Poppy Drive	Fence	$4,400
453 W Bel Air Avenue	Garage	$47,000
Total: 8		$ 201,300.57

Amended Permits:

549 Beards Hill Road – Solar Panels

857 Forgans Drive – Deck Size

Plans still under review at DILP and/or Health Department:

1255 Loflin Road – Cell tower modifications; 3738 Churchville Road, Ste A&B – Tenant Fit-out-Honey Dip Diner; 303 Mt. Royal Avenue – Deck; 404 S. Philadelphia Blvd – repair fire damage; 487 Roberts Way – Convert garage into living space; 502 Pulaski Hwy – New Auto Dealership; 218 W. Bel Air Avenue - addition/renovation; 1102 S. Philadelphia Blvd – Tiltwall Shell Warehouse; 629 S. Philadelphia Blvd – ALLROADS addition; 683 Falcon Lane – Deck; 48 Aberdeen Avenue – Screen Room Addition; 630 Third Street – Carport; 549 Beards Hill Road – Solar Panels; 672 Falcon Lane – In-ground pool; 36 Baker Street- relocatable classrooms; 36 Baker Street- relocatable classrooms; 810 Edmund Street- relocatable classrooms; 810 Edmund Street- relocatable classrooms; 3680 Adamson Way – Playground and pavilion; 1003 Old Philadelphia Road – Tenant Fit Out, 720 Paradise Road – Solar Panels; 911 Walker Street – Solar Panels; 36 Lewis Drive– Front porch; 3627 Dexter Court – Deck; 3629 Dexter Court- Deck; 422 Woodcrest- Deck; 967 Poppy Drive – Landing; 3676 Gratitude Way- Deck.

The Preserve at Gilbert Meadows:

176 Total lots

Total # of Permits Applied for – 168.

Total # of permits released: 160 (83 SFD/77 TH)

Total # of Type I Certificates of Occupancy released - 17.

Total # of Type II Certificates of Occupancy released - 141.

Aberdeen Overlook

344 Total Lots

Total # of Permits Applied for – 254.

Total # of permits released: 243 (79 SFD/164 TH)

Total # of Type I Certificates of Occupancy released – 13.

Total # of Type II Certificates of Occupancy released – 202.

C. Department of Public Works (DPW)

1. City Engineering & Administration

SUBDIVISION & LAND DEVELOPMENT ACTIVE CONSTRUCTION:

- 21-03 Gilbert Meadows – Townhome construction continues. Site is in compliance.
- 22-05 Aberdeen Overlook – Community Center and house construction continues in Phases 2, 4, 5. 2 WM inspections conducted. ESC corrections needed. 1.5" water meter for Clubhouse was picked up 5/14/2026.
- 23-02 Fields of Aberdeen – Building construction continues. Site is in compliance.
- 24-02 WashX – Building construction ongoing. Site is in compliance.
- 24-05 Goddard School – Building construction continues. Site is in compliance. SWM and ESC punch list reports sent to developer. WS utilities in maintenance period.
- 26-02 Aberdeen Hills Water Main Project – Horne concrete crew continues replacing concrete curbing and sidewalk on Andrews Road.
- 453 West Bel Air Avenue – Pre-start inspection conducted for garage.
- 710 Nottingham Drive – Pre-start inspection conducted for garage.

CITY ENGINEER PROJECT UPDATE:

- 09-04/2007-11 COPT Northgate Research Blvd – Items outlined in Tri-Party Post-Closing Agreement. Agreement executed 5/1/2026.
- 22-01 Fieldside Grande – Awaiting redlines to the As-Built for approval. Once approved, bonds will be reduced and ESC bond released.
- 22-07 Rutter's – No change. As-Built SWM Plans and SSC Plan will be accepted and approved. Awaiting 1st submission As-Built RDSD.
- 24-04 Hickory Ridge Lot 4 – PWA and SWM Maintenance Agreement fully executed and recorded. Ready to schedule pre-construction meeting.
- 25-04 502 South Pulaski Highway – PWA and SWM Maintenance Agreement fully executed and recorded. Ready to schedule pre-construction meeting.
- 25-08 Chick Fil A Drive Thru – Waiting execution of PWA and SWM maintenance Agreement. Meeting with developer's legal counsel 5/20/2026.
- 25-09 Cranberry Run FRP – Awaiting preliminary plan approval through Planning Commission and City Council.
- 25-10 Aberdeen XChange Lots 2 & 3 – Meeting to discuss additional information (supporting documentation) on recharge, filtration, and extended-release requirements 5/22/2026 with developer's engineer.
- 25-11 Greenside Reserve – APFO Agreement needs to be executed.
    - Phase 1A - Phase 1A SWM submitted 5/1/2026. Phase 1A Final RDSD and WS Plans submitted 5/1/2026.
    - Phase 1B - Phase 1B RDSD & WS Plans submitted 5/7/2026 under review. Phase 1B SWM Plan and Report submitted 5/14/2026 sent to EN for SWM review.
    - Phase 2 - Phase 2 1st RDSD submission 3/3/2026 under review. Phase 2 1st WS submission 3/23/2026 under review. Phase 2 1st SWM submission 3/3/2026 received from EN 4/17/2026.
    - Phase 3 – Phase 3 RDSD & WS Plans submitted 5/14/2026 under review. Phase 3 SWM Plan and Report submitted 5/14/2026 sent to EN for SWM review.
- Tenant Fit-Out Reviews – Water Capacity Request (WCR), Industrial Waste Survey (IWS), Grease Trap if needed:
    - 11 Locust Lane – Sizzlin' Pig BBQ IWS, WCR, and Grease Trap submittals under review.
    - 15 S Parke Street – Tri Hearts LLC IWS and WCR under review.
    - 18 N Howard Street, Northside Creamery – Water Capacity Request and Grease Trap submittals approved.
    - 650 McHenry Road – Physician Exam Rooms IWS and WCR under review.
    - 1003 Old Philadelphia Blvd – Churchville Tiles IWS and WCR under review.
- 900 Beards Hill Road SWM Waiver Request – Preparing response to request for SWM Waiver. Per MDE SWM Design Requirements, requested waiver is not permitted.

FY2026 CURB, SIDEWALK, AND STREET RESURFACING

- Aberdeen Hills concrete – Areas of curbing and sidewalk marked out for DXI to replace.
- FY27 HUF concrete replacement areas marked out.

SWM

- 9 facilities from FY24 failing due to Hoa accountability (Windemere) pending legal action.
- Windy Hill Business Park - Work to repair 1 facility failing from FY25 is ongoing.
- 3 facilities from FY26 pending minor maintenance.
- New facilities from Fieldside Grande pending as-built acceptance.

CITY COMPLIANCE

- 20 calls, 30 emails, 45 active cases - followed up on 11 cases, 5 letters sent, 43 violations posted.
- 19 active & 17 closed tall grass cases.
- 31 Active Sewer cap cases – Residents are working on repair of sewer caps.
- 4 Smoke testing active cases. Residents are responding and will follow up.
- Weekly follow-up inspections.
- 114 Philadelphia Blvd – Waiting for owner to obtain demo permit. In progress.
- 217 Carol Avenue – Re-inspected property. Property will get another dumpster. To be completed by 5/15/2026. In progress.
- 378 Stratford Avenue – Letter sent to property regarding goat in the yard. There is not goat in the yard. Case closed.
- 679 Everist Drive – Cleanup continues. In progress.
- 700 Maxa Road – Property owner has until 6/10/2026 to provide three estimates. 1 estimate received from Pinnacle Excavating in the amount of $18k. Received inquiry from E Preston. Chavis requesting on site meeting with City reps.
- 700 W Bel Air Avenue – Followed up on safety report ensuring proper operation of all emergency pull cords from Fairbrooke Senior Apartments. Area Manager (Ms. Lewis) responded asking what report is being requested. In progress.
- 783 West Bel Air Avenue (Days Inn) – Structural report submitted to City 4/22/2026 outlining required repairs. Structural plans provided to City 5/8/2026. Repairs in progress.
- Battle Avenue –Mr. Velenovsky from Skarda & Associates conducted inspection of the property. Report provided 4/29/2026 and sent to the property owner 5/6/2026. Owner has until 6/6/2026 to remove structure or the City will have it removed at Owner expense.

GIS

- Created a document to Proposed GIS based spatial studies –
  1. Hotspot and Cluster Analysis
  2. Geometric Network & Trace Analysis
  3. Surface and Hydrological Analysis
- Working on Citizen Problem Reporter Application.
- Working on ArcGIS Online layers and added them to Geodatabase.
- Created a document to share and manage as-built data through web-based ArcGIS Online.
- To automate Preliminary Site subdivision review process, I proposed a detailed solution that other states and Counties are already utilizing electronically.

ASSOCIATE ENGINEER

- 22-05 I-95 Water Tower – BGE service scheduled for 7/6-7/12. Permits have been renewed and extended. Painting complete. Next progress meeting June 2nd, 2026.
- 22-18 Swan Meadows Utilities – KCI is developing workplan required by EPA for congressional funding in addition to revised bid package. Deliverables to be submitted mid-June.
- 23-07 WTP PFAS Upgrade –Site visit held May 18th and update meeting held May 19th. Geotechnical subcontractors are being solicited. 60% design expected by June 19th, with in person meeting to review on the 24th. Goal is to receive letter of commitment of MDE funding with 60% design submission.
- 24-02 Lead Service Line Inventory Compliance – Maintenance staff is testing pitting locations on GHD field validation list. 62 out of 177 completed.
- 26-02 Aberdeen Hills Waterline – Project is substantially complete. DPW to form punch list of remaining items left. Remainder of paving scheduled for May 27, 2026.
- 26-03 Sewer Rehabilitation – UV Lining continues in Aberdeen Hills area. Windemere Drive and Southgate Road scheduled for May 26-30

- 26-04 South Drive Sewer Interceptor – Contract received by DXI and under review for execution. Pre-Con to be scheduled upon contract execution.
- 26-05 WWTP Primary Clarifier #2 – Contract received by COMBRO and under review for execution. Pre-Con to be scheduled upon contract execution.

DPW DIRECTOR

GIS
- Launch Customer Input Mid-June 26
- Staff Interface (workflow) Mid-June 26
- Project Management Interface August 26
- Permit Workflow Last Week August 26
- Fleet Review September 26
- Roadblock Poor Internet WWTP Maint Repair expected within next 2 weeks.
- Anu and Costa are working together to resolve long-standing issues.
- Database management/ standardization/ creating clear roles/ checks and balances.
- Communication with Maintenance and WW Departments
- GIS has the ability w AI to maintain an updated map of all underground utilities.
- Sunset Beehive Software 11/26

Permit Process
- Planning and DPW working together to create realistic expectations for customers, developers, stakeholders, and businesses.
- Communication protocols
- Responsibilities
- Timelines
- Forms, presentation, information needed from customers/ stakeholders.
- Rolla is off until next Friday.

Hiring
- Posting positions on Facebook, Nextdoor, LinkedIn and other social media.
- 1st Posting Today 5/22/26 COB.
- New Employee Onboarding & Training Review (next week)

Meetings
- Admin Team Huddle – 1st Workday of Week
- DPW Leadership Huddle- 2nd Thursday of each month 6/11 10am Maint Shop

DPW ADMIN. ASSISTANT
- Processed 8 invoices totaling $124,648.22.
- Entered 1 requisition totaling $88,623.00.
- Issued no permits.
- Created advertisement pdf for our DPW job postings to be used on Facebook city page and other local pages, assisting with GIS project, revising community outreach flyers to restore color and graphics.

2. Maintenance Division

BUILDINGS & GROUNDS
- Responded to 14 service requests.
- Provided chipper service for 8 residents.
- Provided support for the Armed Forces Day event in Festival Park.
- Working on spring punch list at the Swim Club.
- Cut down 11 hazard trees at Swim Club facility.

STREETS & STORM WATER
- Performed roadside cutting to 3,732 LF and cleaning of 11,838 LF.
- Started cleaning 165 LF. of storm water pipe near 715 Cronin Dr.
- Performed maintenance to 6 storm water ponds.
- Checked 801 storm water inlets and cleaned 34 removing approximately 525 LBS.
- Replaced 8 temp. roadway patches with 20 tons of asphalt.
- Repaired/replaced 15 LF of sidewalk near 1013 Beards Hill Rd.

WATER & SEWER
- Responded to 9 service calls.
- Performed 4 lead service line inspections.
- Performed hydrant flushing to 44 hydrants in region 2.
- 11 residential water meters were installed.
- Repaired fire hydrant near 102 Edmund St.
- Cut vegetation to clear 13 rights-of-way for water and sewer main access.
- Continued to cctv inspect the sewer services in the Aberdeen Hills area.
- Cleaned 1,175 LF of sewer main and cctv inspected 1,175 Lf.

FLEET
- Scheduled Repairs: 5 APD: 2
- Emergency: 6 APD: 2
- Services: 2 APD: 3
- Unit 9 – DPW 1.5-ton dump – out of service – brake work in house.
- Unit 16 – DPW 1-ton pickup – out of service – needs motor.
- Unit 37 – DPW backhoe- sent out to have leaking cylinders rebuilt.
- Unit 84 – APG Pump Truck – Sent to Fruitland for pump issues.
- Unit 101 – Trash Truck – Sent to MIT due to PTO issue.
- Unit 107 – Trash truck - Out of service due to leaking rear axle.

MANPOWER
- 5 openings in Maintenance.

3. Water/Wastewater Plant Operations

WASTE WATER TREATMENT PLANT

- COA WWTP treated 13.9 million gallons. May. 14th to May. 20th.
- APG WWTP treated 2.4 million gallons. May 14th to May.20th.
- Denite filter media installation started.
- Installed new overload on compost blower #9.
- Installed new batteries in generator at heat center SPS.

WATER TREATMENT PLANT

- COA WTP treated 4.9 million gallons. May. 14th to May. 20th.
- APG WTP treated 6.3 million gallons. May 14th to May. 20th.
- 11 routine bacteriological samples & 1 special bacteriological samples.
- Upgraded 100-amp breaker to 150-amp break at the heat center booster station.
- Installed new batteries in generator at heat center BPS.

DEPARTMENT

- Four operator vacancies. One facility worker vacancy.

SUPERINTENDENTS

- 20 APG contract hours.
- GHD site visit to COA WTP for SCADA and controls overview for plant upgrade.
- GHD progress meeting for COA WTP plant upgrade.
- City CCR review.
- Submitted COA & APG WWTP discharge monitoring reports to MDE/EPA.

D. Human Resources Department

Current Posted Openings – 18 total

- APG Maintenance Shop – 1 -Foreman, 1 Maintenance Worker
- DPW Maintenance Shop – 1 – Foreman, 4 - Maintenance Workers
- Environmental – 1 Thrower
- W/WW – 3 Operators, 1 Facility Worker
- APD Sworn – 4 Officers
- APD Non – Sworn – 1 Crossing Guard – On Call
- Planning Dept. – 1- Planner

-There are 2 Maintenance Workers pending, starting by the beginning of June.

Payroll

Period Ending 5/16/2026	**# of Hours**	**Payroll Amts**
Regular	11,968.83	$430,065.51
Overtime	570.67	$28,639.84
Vacation	593.94	$17,157.26
Sick	579.80	$17,506.68
Personal	215.00	$5,531.34
On-Call Overtime	156.00	$7,633.90
Patrol Holiday	184.00	$6,424.53
Holiday	48.00	$1,124.16
Comp Time	39.50	$1,219.51
Court On-Call Overtime	81.50	$4,143.57
Call-In Overtime	64.25	$2,432.87
Shift Differential		$2,122.58
Bonus		$500.00
Vacation Pay Out (2)		
TOTAL PAYROLL	14,501.49	$524,501.75

II. Aberdeen Police Department (APD)

A. APD Calls for Service



APD Calls for Service
May 17 - 23, 2026
Total Call for Service/Events Works - 521
Patrol Checks – 130
Community Policing Detail – 2
Foot Patrols – 62
Bike Patrols - 5

Eastern District Incidents

- Narcotics - 1
- Assault – 2
- Theft – 1
- Found Property – 1
- Child Abuse - 1

Central District Incidents

- Unattended Death - 1
- Fugitive – 2
- Theft – 3
- Traffic – 1
- DUI – 1
- Suspicious Activity – 1
- Firearm Discharge - 1

Western District Incidents

- Counterfeit Money – 2

- Unattended Death – 1
- Vandalism - 1
- Suspicious Activity – 2
- Child Neglect – 2
- Missing Person – 1
- M/V Theft – 1
- Suicide Attempt – 1
- Assault – 1
- DUI - 1

Arrest May 10 - 16, 2026

Adult Arrest

202600102564	5/10/2026	Child Neglect
202600105485	5/10/2026	Assault
202600105697	5/10/2026	Warrant
202600104997	5/11/2026	Rape
202600104997	5/11/2026	Rape
202400106452	5/11/2026	Warrant
202600106614	5/11/2026	Assault
202600107459	5/12/2026	Trespassing
202600099749	5/12/2026	Trespassing/Disorderly
202600107459	5/12/2026	Theft
202600107068	5/12/2026	Trespassing
202600108746	5/13/2026	Warrant
202600109430	5/14/2026	Warrant
202600109247	5/14/2026	DUI
202600109415	5/14/2026	Summons
202600109602	5/14/2026	Summons
202600110338	5/15/2026	Assault
202600110462	5/15/2026	Assault
202600111262	5/16/2026	Assault
202600110667	5/16/2026	Assault

B. Weekly Traffic Report

May 17 - 23, 2026

Traffic Stops

139 Stops/Contacts

75 State Citations

149 Warnings

16 Safety Equipment Repair Orders

1 DUI

Crashes (Reportable, PI/PD)

8 (3 Property Damage, 5 Personal Injury)

SMART (Speed Monitoring Awareness Radar Trailer)

- N/A

STATTRAK

- N/A

C. Accreditations

May 17-23, 2026

Proof of Compliance

Processed and filed in PowerDMS.

Form

Updated Property Log Access form and sent to Det Garrett and Cmdr Persuhn. Final copy approved.

Policies

Policy 28.07 Warrants & Summonses –Began updating procedures for obtaining arrest warrants.

Policy 28.08 Arrest Records - Reviewed and added another statement in Prisoner Arrest Record instructions.

Ch 28.02 Diplomatic Immunity and Consular Notification – Updated Department of State contacts and list of Mandatory Notification Countries. Added procedures for actual notification of embassies/consulates.

Ch 21.12 Unattended Deaths – Amended to include procedures to follow when completing the Death investigation Report to comply with CALEA standard 82.2.1d & e. Sent for review.

Ch 11. 02 Cash Funds Maintenance – Eliminated funds we no longer have: Clarified instructions for tracking activities for quarterly audits.

New E-Bike Policy from Deputy Chief – Began Editing, still in process.

One Vacation Day

Plans for Future Weeks

Proof of CALEA Compliance

Processing will include New Year 1

Policies

Ch 05.03 Internal Affairs & Internal Investigations – Finish updating.
Ch 25.03 Citation Control – Update disposition, storage, and retention.
Ch 28.06 Juvenile Offenders – Finish updating Custodial Interviews

D. Administration

Community Safety Specialist Rodney Thomas #554

05/18 Monday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived at W. Bel Air Ave for foot patrol.
- Arrived at the WAWA for foot patrol.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

05/19Tuesday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived at W. Bel Air Ave for foot patrol.
- Arrived at Beards Hill and Aberdeen Marketplace Shopping Centers for foot patrol.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

05/20 Wednesday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived at W. Bel Air Ave for foot patrol.
- Arrived for foot patrol at Aberdeen Marketplace and Beards Hill shopping center.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

05/21 Thursday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived at W. Bel Air Ave for foot patrol.
- Arrived at the Aberdeen Marketplace shopping center for foot patrol.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

05/22 Friday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived at W. Bel Air Ave for foot patrol.
- Arrived at Beards Hill and Aberdeen Marketplace Shopping Centers for foot patrol.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

E. 24 Hour Reports

Date of Incident: 5/18/26

Incident Type: Child Neglect

Incident Report Number: 202600113009

Location of Incident: [redacted]

Reporting Officer: Off. Potts A189

Synopsis of Events:

On May 18, 2026, Officers responded to 638 W Bel Air Ave. regarding an anonymous call about a 6-month-old baby being left alone at the residence. Investigation would reveal that the baby, identified as [redacted], was left at the residence by her mother, identified as [redacted]. [redacted] had left the baby unattended at the residence from approximately 2030hrs until almost 2230hrs when officers responded to the location. The landlord of [redacted] let officers in who found the baby in a third-floor apartment that was covered in trash, bugs, mold and dirty diapers. There were even dirty diapers left inside the crib with the baby. The child was also found to be in a soiled diaper. Bel Air PD was able to locate and hold [redacted], as she had gone to the McDonalds in Bel Air to meet up with friends. She was placed under arrest and brought back to APD.

Date of Incident: 05/18/26

Incident Type: Fraud

Incident Report Number: 202600112202

Location of Incident: [redacted]

Reporting Officer: Cross

Synopsis of Events:

On 5/18/2026, Officers responded to [redacted] in regards to fraud.

Officer Cross was informed that an individual had entered the store and provided the store with counterfeit bills to pay for his gas. The manager informed Officers that later in the night, another female entered the store and paid for her gas in counterfeit money as well. Officer Cross was called back to the store after her initial report and was informed that the male individual had returned to the store and left in his vehicle towards [redacted]. The manager provided Officers with a photo of the individual and his vehicle who had entered the store and given them the counterfeit money. Officers canvased the area and made contact with the male, identified as [redacted], parked at [redacted], Aberdeen, MD. [redacted] was found in the vehicle that was described and with the registration provided to Officer Cross. [redacted] was arrested.

The counterfeit money was placed on property.

Date of Incident: 5/21/26

Incident Type: MV Theft and Recovery

Incident Report Number: 2026-00115666

Location of Incident: [redacted]

Reporting Officer: Off. Cretaro 184

Synopsis of Events:

On Thursday, May 21, 2026, at approximately 1548 hours, Officers responded to the [redacted] and spoke to the director, [redacted]. [redacted] stated that at approximately 1504 hours the [redacted] that they use to pick up children was stolen. The van had been left in front of the business unlocked and running. Officer Cretaro later received information that [redacted] likely stole the vehicle and took it to Cecil County.

At 2004 hours, Officers were notified that the Cecil County Sheriffs Office stopped the stolen van and arrested the driver, [redacted].

Date of Incident: 5/21/26

Incident Type: Attempted Suicide

Incident Report Number: 2026-00115754

Location of Incident: [redacted]

Reporting Officer: A/Sgt. Peterson

Synopsis of Events:

On Thursday, May 21, 2026, at approximately 1700 hours, Officers of the Aberdeen Police Department responded to [redacted] for a reported suicide attempt. Upon arrival, Officers confirmed with the front desk employee that the caller, [redacted], was in [redacted]. Officers knocked on the door of [redacted] and could hear a faint voice saying that they were trying to reach the door. [redacted] opened the door and she was observed to be intoxicated, sitting on the floor. [redacted] stated that she did not want to be alive anymore and had nothing to live for. She stated that she just drank an entire bottle of mouth wash and more alcohol. EMS was able to transport [redacted] to the hospital. Emergency Petition paperwork was submitted.

Date of Incident: 5/22/2026

Incident Type: Attempted Murder - Shooting

Incident Report Number: 2026-116074

Location of Incident: [redacted]

Reporting Officer: Lt. Persuhn

Synopsis of Events:

5/22/2026 – 0417 Hours
Officers responded to [redacted] for a report of shots fired at the residence. Upon arrival, officers made contact with the occupants of the home. None of the occupants sustained injuries.
CID and Crime Scene responded to the scene and assumed the investigation. Numerous shell casings were recovered outside the residence. Several rounds penetrated the home.

Additional evidence recovered throughout the day has confirmed that [redacted] and a [redacted] are believed to be responsible for the shooting incident. [redacted] and [redacted] are documented members of the [redacted], a group known to engage in vehicle thefts and possess firearms.

The investigation remains ongoing.