City of Aberdeen

Weekly Activity Report

May 10 - 16, 2026

I. City Hall
- A. Department of Finance
- B. Department of Planning and Community Development (DPCD)
- C. Department of Public Works (DPW)
    1) City Engineering & Administration
    2) Maintenance Division
    3) Water/Wastewater Plant Operations
- D. Human Resources Department

II. Aberdeen Police Department (APD)
- A. APD Calls for Service
- B. Weekly Traffic Report
- C. IT
- D. Accreditations
- E. Administration
- F. 24 Hour Reports

I. City Hall

A. Department of Finance

Weekly Update

Receipts for the week were:

1.	General Fund	$ 41,358
2.	Capital Projects Fund	0
3.	Water & Sewer Funds	217,162
4.	Stadium Fund	0
	Total	$ 258,520

Disbursements for the week were:

1.	General Fund	$ 135,950
2.	Capital Projects Fund	20,000
3.	Water & Sewer Funds	431,176
4.	Stadium Fund	7,500
	Total	$ 594,626

Significant Receipts:

1. N/A

Significant Disbursements:

1.	Water Tank Project	$134,447
2.	Aberdeen Hills Waterline Project	$114,049

Cash Balances as at 4/30/26:

1.	General & Capital Projects Funds	$29,106,021
2.	Water Fund	15,075,971
3.	Sewer Fund	11,853,573
4.	Stadium Fund	2,458,926
	Total	$58,494,491

General

Fitch Ratings affirmed the City's AA+ bond rating.

B. Department of Planning and Community Development (DPCD)

1. Interviews were held with candidates for the Planner position.
2. Attended City Council work session to discuss FY2027 budget and City Council meeting. The City Council awarded Phase 1A and Phase 1B for RFP #251-10 to Colliers Engineering and Design.
3. Reviewed draft contract for RFP#25-10 for the Architectural and Engineering Design Services for the Aberdeen Transit Oriented Development (TOD) Station Square Project.
4. Attended meeting with Department of Public Works (DPW) and EPA staff regarding the $2.0 million Community Project Funding award for the Swan Meadows infrastructure project.
5. Attended the Annual Meeting for the Route 40 Business Association and was appointed on the Board of Directors.
6. Attended meeting with Phyllis and Louis Friedman to discuss potential redevelopment of the Aberdeen Mini Storage.
7. Attended meeting with DPW Director and Mitch Ensor with Bay State Land Services to discuss future development of Sunnyside Drive and Baltimore Street extended. Also discussed was the AMI Door Solutions site plan.
8. Attended meeting with Katie Hazlett, federal lobbyist to discuss the federal grant applications for Swan Meadows and the Aberdeen Volunteer Fire Department fire equipment replacements.

Weekly Building Permit Activities:

Permits Processed – Residential

Address	Type	Value of Construction
522 Baltimore Street	Shed	$9,222.00
102 Kretlow Drive	Gazebo	$12,011.00
3676 Gratitude Way	Deck	$14,400.00
825 Forgans Drive	New Construction	$250,000.00
967 Poppy Drive	Landing with steps	$10,000.00
911 Walker Street	Solar Panels	$48,790.00
422 Woodcrest	Deck	$15,500.00
3629 Dexter	Deck	$7,200.00
3627 Dexter	Deck	$7,200.00
36 Lewis Drive	Porch	$3,000.00
302 Baltimore Street	Fence	$2,000.00
720 Paradise Road	Solar Panels	$53,956.00
Total: 12		$433,279.00

Permits Processed – Commercial

Address	Type	Value of Construction
949 Beards Hill Road	Solar Panels	$700,000.00
10 & 12 Newton Road	Shell Building	$500,000.00
10 & 12 Newton Road	Tenant Fit Out	$500,000.00
Total: 3		$1,700,000.00

Permits Issued this Week:

132 Farm Road	Bathroom Renovation	$8,500.00
819 Forgans Drive	New Construction	$260,000.00
89 Norman Avenue	Amended- Interior Renovation	$60,000.00
100 Rock Glenn BLVD.	Front Entrance	$25,000.00
3660 Gratitude Way	Deck	$36,800.00
102 Kretlow Drive	Gazebo	$12,011.00
522 E Baltimore Court	Shed	$9,222.00
3676 Gratitude Way	Fence	$6,737.00
136 Farm Road	Adding Bathroom	$3,000.00
46 Norman Unit 1	New Construction	$202,550.00
46 Norman Unit 2	New Construction	$202,550.00
Total: 11		$ 826,370.00

Amended Permits:

857 Forgans Drive – Change house type

New Commercial Issued Certificates of Use and Occupancy:

119 W. Bel Air Avenue – Apex Ninja Center and 971 A Beards Hill Road- Cricket Wireless.

Plans still under review at DILP and/or Health Department:

1255 Loflin Road – Cell tower modifications; 3738 Churchville Road, Ste A&B – Tenant Fit-out-Honey Dip Diner; 303 Mt. Royal Avenue – Deck; 404 S. Philadelphia Blvd – repair fire damage; 487 Roberts Way – Convert garage into living space; 502 Pulaski Hwy – New Auto Dealership; 218 W .Bel Air Avenue - addition/renovation; 1102 S. Philadelphia Blvd – Tiltwall Shell Warehouse; 629 S. Philadelphia Blvd – ALLROADS addition; 683 Falcon Lane – Deck; 48 Aberdeen Avenue – Screen Room Addition; 630 3rd Street – Carport; 549 Beards Hill Road – Solar Panels; 672 Falcon Lane – In-ground pool; 36 Baker Street- relocatable classrooms; ; 36 Baker Street- relocatable classrooms; 810 Edmund Street- relocatable classrooms; 810 Edmund Street- relocatable classrooms; 3680 Adamson Way – Playground; 1003 Old Philadelphia Road – Tenant Fit Out, 720 Paradise Road – Solar Panels; 911 Walker Street – Solar Panels; 36 Lewis Drive– Front porch; 3627 Dexter Court – Deck; 3629 Dexter Court- Deck; 422 Woodcrest- Deck; 967 Poppy Drive – Landing; 3676 Gratitude Way- Deck; and 106 St. Matthew Court- Solar Panels.

The Preserve at Gilbert Meadows:

176 Total lots

Total # of Permits Applied for – 168

Total # of permits released: 160 (83 SFD/77 TH)

Total # of Type I Certificates of Occupancy released - 17

Total # of Type II Certificates of Occupancy released - 141

Aberdeen Overlook

344 Total Lots

Total # of Permits Applied for – 253

Total # of permits released: 242 (77 SFD/164 TH)

Total # of Type I Certificates of Occupancy released – 13

Total # of Type II Certificates of Occupancy released – 200

C. Department of Public Works (DPW)

1. City Engineering & Administration

SUBDIVISION & LAND DEVELOPMENT ACTIVE CONSTRUCTION:

- 21-03 Gilbert Meadows – Townhome construction continues. Site is in compliance.
- 22-05 Aberdeen Overlook – Community Center and house construction continues in Phases 2, 4, 5. 1 Pre-start inspections and 1 WM inspection conducted. ESC corrections needed. 1.5" water meter for Clubhouse available for pickup.
- 23-02 Fields of Aberdeen – Building construction continues. Site is in compliance.
- 24-02 WashX – Building construction ongoing. Site is in compliance.
- 24-05 Goddard School – Building construction continues. Site is in compliance. As-Built WS Plans accepted, approved, and provided to developer. Letter reducing Water & Sewer bonds to maintenance provided to Developer. Reduced bond will be in effect until such time Adamson Way is transferred via deed to City ownership.
- Aberdeen Hills Water Main Project – Horne concrete crew continues replacing concrete curbing and sidewalk on Andrews Road.
- 46 Norman Avenue – Pre-start inspection conducted for Habitat for Humanity. Awaiting approved Site Plan to process application.

CITY ENGINEER PROJECT UPDATE:

- 09-04/2007-11 COPT Northgate Research Blvd – Pre-construction meeting held to complete items outlined in Tri-Party Post-Closing Agreement. Agreement executed 5/1/2026.
- 22-01 Fieldside Grande – Awaiting corrections to be made before re-inspection and final As-Built approval. Once As-Built is approved, bonds will be reduced and ESC bond released.
- 22-07 Rutter's – No change. As-Built SWM Plans and SSC Plan will be accepted and approved. Awaiting 1st submission As-Built RDSD.
- 24-04 Hickory Ridge Lot 4 – PWA and SWM Maintenance Agreement fully executed sent to Developer for recordation.
- 25-04 502 South Pulaski Highway – PWA and SWM Maintenance Agreement fully executed sent to Developer for recordation.
- 25-08 Chick Fil A Drive Thru – Waiting execution of PWA. Meeting requested by developer legal counsel after her return 5/18/2026.
- 25-09 Cranberry Run FRP – Awaiting preliminary plan approval through Planning Commission and City Council.
- 25-10 Aberdeen XChange Lots 2 & 3 – Additional information (supporting documentation) on recharge, filtration, and extended-release requirements per meeting submitted 4/23/2026 under review.
- 25-11 Greenside Reserve – APFO Agreement needs to be executed.
    - Phase 1A - Phase 1A SWM submitted 5/1/2026. Phase 1A Final RDSD and WS Plans submitted 5/1/2026
    - Phase 1B - Phase 1B RDSD & WS Plans submitted 5/7/2026 under review. Phase 1B SWM Plan and Report submitted 5/14/2026 sent to EN for SWM review.
    - Phase 2 - Phase 2 1st RDSD submission 3/3/2026 under review. Phase 2 1st WS submission 3/23/2026 under review. Phase 2 1st SWM submission 3/3/2026 received from EN 4/17/2026.
    - Phase 3 – Phase 3 RDSD & WS Plans submitted 5/14/2026 under review. Phase 3 SWM Plan and Report submitted 5/14/2026 sent to EN for SWM review.
- Tenant Fit-Out Reviews – Water Capacity, Industrial Waste Survey, Grease Trap if needed:
    - 11 Locust Lane – Sizzlin' Pig BBQ
    - 15 S Parke Street – Tri Hearts LLC.
    - 18 N Howard Street, Northside Creamery – Water Capacity Request approved. Waiting for grease trap plans.
    - 650 McHenry Road – Physician Exam Rooms.
    - 1003 Old Philadelphia Blvd – Churchville Tiles
- 900 Beards Hill Road SWM Waiver Request – Preparing response to request for SWM Waiver. Per MDE SWM Design Requirements, requested waiver is not permitted.

FY2026 CURB, SIDEWALK, AND STREET RESURFACING

- Aberdeen Hills concrete – Areas of curbing and sidewalk marked out for DXI to replace.
- FY27 HUF concrete replacement areas marked out.

SWM

- 9 facilities from FY24 failing due to Hoa accountability (Windemere) pending legal action.
- Windy Hill Business Park - Work to repair 1 facility failing from FY25 is ongoing.
- 3 facilities from FY26 pending minor maintenance.
- New facilities from Fieldside Grande pending as-built acceptance.

CITY COMPLIANCE

- 18 calls, 28 emails, 45 active & 8 closed cases - followed up on 16 cases, 6 letters sent, 26 violations posted.
- 18 active & 33 closed high grass cases.
- 32 Active Sewer cap cases – Follow-up on 2 cases & Closed 1 case. Residents are working on repair of sewer caps.
- 4 Smoke testing active cases. Residents are responding and will follow up.
- Daily routine and follow-up inspections.
- 114 Philadelphia Blvd – BGE cut & capped gas service lateral. Awaiting demo permit to be issued. In progress.
- 118 Grant Street – Tidewater Management (Landlord) requests foreclosure of the tenants' rights of redemption judgement. Case Closed.
- 217 Carol Avenue – Property asked for additional week to be completed by 5/15/2026. In progress.
- 378 Stratford Avenue – Letter sent to property regarding goat in the yard. No response yet.
- 679 Everist Drive – APD requested inspection for hoarding/livability concerns. New dumpster delivered to site. Cleanup has begun and is continuing. In progress.
- 700 Maxa Road – Property owner has until 6/10/2026 to provide three estimates. 1 estimate received from Pinnacle Excavating in the amount of $18k. Received inquiry from E Preston, and Chavis about the project.
- 700 W Bel Air Avenue – Followed up on safety report ensuring proper operation of all emergency pull cords from Fairbrooke Senior Apartments. Have not received response.
- 783 West Bel Air Avenue (Days Inn) – Engineering report submitted to City.
- Battle Avenue –Mr. Velenovsky from Skarda & Associates conducted inspection of the property. Report was provided 4/29/2026 and sent to the property owner 5/6/2026. Owner has until 6/6/2026 to remove structure or the City will remove it at Owner expense.

GIS

- Created List for Citizen problem Report request
- Working on Comparing ArcGIS solution application vs Instant application at ArcGIS Online
- Shared a document with Technology team about detailed 7 step processes of creating and Launch a new application for customer.

ASSOCIATE ENGINEER

- 22-05 I-95 Water Tower – BGE service scheduled for 7/6-7/12. Electrical permit extended. Painting and sitework finishing. Progress meeting scheduled for week of 5-26-26 to introduce new director and get updates on instrumentation/project completion.
- 22-18 Swan Meadows Utilities – Design meeting held in person with site visit 5-12-2026. DPW, PCD and KCI met with EPA representative to discuss funding status and requirements. KCI has received guidelines and is incorporating them into bid specs.
- 23-07 WTP PFAS Upgrade – Next site visit scheduled for May 18th for walkthrough with project designer, I&C engineer, and City operations staff to discuss telemetry and power requirements.

- 24-02 Lead Service Line Inventory Compliance – Maintenance staff is testing pitting locations on GHD field validation list. 58 out of 177 completed.
- 26-02 Aberdeen Hills Waterline – Project is substantially complete. DPW to form punch list of remaining items left.
- 26-03 Sewer Rehabilitation – UV Lining continues in Aberdeen Hills area. Second lining crew to start 5/15/26
- 26-04 South Drive Sewer Interceptor – Council voted to award to DXI 5/11/26. Procurement to send contract and other documents. Pre-construction meeting to be scheduled upon execution of contract.
- 26-05 WWTP Primary Clarifier #2 – Council voted to award to COMBRO 5/11/26. Procurement to send contract and other documents. Pre-construction meeting to be scheduled upon execution of contract.

DPW ADMIN. ASSISTANT

- Processed 9 invoices totaling $46,101.09
- Dispatched Ehrlich Pest Control to manage ant invasion at the PD, sent permits 26-27 and 26-28 to Comcast and Verizon, assisted with 910 Joyce Ct investigating ongoing issue

\

2. Maintenance Division

BUILDINGS & GROUNDS

- Responded to 17 service requests.
- Provided chipper service for 13 residents.
- Finished repairing the blacktop at North Deen Park's parking lot using 50.4 tons of asphalt.
- Made repairs to the wading pool at the Swim Club and filled with water.
- Working on spring punch list at the Swim Club.
- Changed out the banners on WBA Ave. and Festival Park areas.

STREETS & STORM WATER

- Performed roadside cleaning to 3,880 LF.
- CCTV investigated 176 LF. of storm water pipe.
- Replaced a 70 LF section of storm drainpipe on Edmund St. near South Dr.
- Repaired 2 storm water inlet boxes on Edmund St. near South Dr.
- Performed maintenance to 4 storm water ponds.
- Performed yard waste collection for 345 residents.

WATER & SEWER

- Responded to 3 service calls.
- Performed 48 water services shut offs to delinquent accounts.
- Performed 1 lead service line inspection.
- Performed 19 water valve box inspections.
- Performed hydrant flushing to 29 hydrants in region 2.
- 1 residential water meter was installed.
- Repaired 6" sewer service that was broken when new water main was installed in front of 662 Andrews Rd.
- Replaced the sewer service to the main for 632 Rowe Dr.
- Replaced an 8.5' section of 8" sewer main near 596 Maxa Rd.
- Using cctv to inspect the sewer services in the Roberts Way area to make sure there is not any structural damage from the construction of the new water main before the roads are paved.

FLEET

- Scheduled Repairs: 6 APD: 5
- Emergency: 3 APD: 2
- Services: 1 APD: 5
- New trash truck arrived and sent back for corrections.
- Unit 16 – DPW 1-ton pickup – out of service – needs motor.
- Unit 37 – DPW backhoe- sent out to have leaking cylinders rebuilt.
- Unit 53 – DPW Maint. Mini Excavator – Sent to have hydraulic system serviced.
- Unit 62- APG Vactor Truck – Sent to MIT with several issues.
- Unit 84 – APG Pump Truck – Sent to Fruitland for pump issues.
- Unit 101 – Trash Truck – Sent to MIT due to PTO issue.
- Unit 107 – Trash truck - Out of service due to leaking rear axle.

MANPOWER

- 3 openings in Maintenance.

3. Water/Wastewater Plant Operations

WASTE WATER TREATMENT PLANT

- COA WWTP treated 11.4 million gallons. May. 7th to May.13th.
- APG WWTP treated 2.3 million gallons. May 7th to May.13th.
- Submitted laboratory renewal to MDE.
- DSI installed new pump #1 at chestnut st. sewage pumping station.
- Installed new pipe hangers at City hall sewage pump station.

WATER TREATMENT PLANT

- COA WTP treated 4.4 million gallons. May. 7th to May. 13th.
- APG WTP treated 6.4 million gallons. May 7th to May. 13th.
- 11 routine bacteriological samples & 1 special bacteriological sample.
- Cleaned and inspected WTP clear well.
- Replaced and cleaned ductwork on soda ash dust collector at the WTP.
- Adjusted PRV blow off at swan meadow tower.

Department

- Three operator vacancies. One facility worker vacancy.
- Two after hour service calls.

SUPERINTENDENTS

- 20 APG contract hours.
- DPW Staff meeting.
- MDE inspection of COA WTP, Wells, Booster stations, and Water Towers.
- Meeting to discuss new MDE regulation for outages, flooded wells, and boil water advisories with DPW crews.

D. Human Resources Department

Current Posted Openings – 18 total

- APG Maintenance Shop – 1 -Foreman, 1 Maintenance Worker
- DPW Maintenance Shop – 1 – Foreman, 4 - Maintenance Workers
- Environmental – 1 Thrower
- W/WW – 3 Operators, 1 Facility Worker
- APD Sworn – 4 Officers
- APD Non – Sworn – 1 Crossing Guard – On Call
- Planning Dept. – 1- Planner

-There are 2 Maintenance Workers pending, starting by the beginning of June.

II. Aberdeen Police Department (APD)

A. APD Calls for Service



APD Calls for Service
May 10 - 16, 2026
Total Call for Service/Events Works -497
Patrol Checks – 105
Community Policing Detail – 1
Foot Patrols – 64

Eastern District Incidents

- Assault – 2
- Fugitive – 2
- DUI - 1

Central District Incidents

- Fugitive – 2
- Trespassing – 1
- Theft – 1
- Traffic – 1
- Assault – 2

Western District Incidents

- Found Property - 1

- Assault - 7
- Sex Offense – 1
- Suspicious Activity – 1
- Trespassing – 1
- Theft – 3
- Counterfeit Money – 1
- Theft from M/V – 1
- Burglary - 2

Arrest May 3 - 9, 2026

Adult Arrest

202600099911	5/3/2026	Disorderly
202600010068	5/4/2026	Assault
202600102651	5/6/2026	Trespassing
202600102651	5/6/2026	Warrant
202600102934	5/6/2026	CDS
202400102934	5/6/2026	CDS
202600103667	5/7/2026	CDS
202600104753	5/9/2026	DUI

B. Weekly Traffic Report

May 10 - 16, 2026

Traffic Stops

84 Stops/Contacts

57 State Citations

86 Warnings

2 Safety Equipment Repair Orders

1 DUI

Crashes (Reportable, PI/PD)

5 (3 Property Damage, 2 Personal Injury)

SMART (Speed Monitoring Awareness Radar Trailer)

- N/A

STATTRAK

- N/A

C. IT

- 40 Miscellaneous user/computer issues
- Daily surveillance camera check
- Daily firewall inspection and report
- Weekly PMI backup checks
- Switch firmware update apply x2
- Message trailer config training
- Video retrieval for patrol from Exxon
- APDSV backup failure troubleshoot
- Attend citizen class for VR demo with Captain
- Switch outage and troubleshoot with City IT and System source
- Deploy message trailer for weekend event
- Video extraction Highland Commons for CID

  Video extraction Harford Family for CID

D. Accreditations

Week of 5/10-16

Proofs of Compliance

Processed and filed in PowerDMS.

Prepared and entered in PowerDMS a few "Assigned To" lists. More lists in process.

Form

Updated Notification of Complaint/Notification of Rights & Responsibilities to comply with CALEA requirements.

Updated Warrant Notification form.

Policies

Ch 28.02 Diplomatic Immunity and Consular Notification – Updated Department of State contacts and list of Mandatory Notification Countries. Added procedures for actual notification of embassies/consulates

Ch 21.12 Unattended Deaths – Amended to include procedures to follow when completing the Death investigation Report to comply with CALEA standard 82.2.1d & e. Sent for review.

Ch 11. 02 Cash Funds Maintenance – Eliminated funds we no longer have; Clarified instructions for tracking activities for quarterly audits.

New E-Bike Policy from Deputy Chief – Began Editing; still in process

Training

Completed Consular Notification Retraining course outline and lesson plans. Rewrote for Supervisors.

Future Weeks

Proofs of CALEA Compliance

Processing will include New Year 1

Policies

Ch 05.03 Internal Affairs & Internal Investigations – Finish updating

Ch 25.03 Citation Control – Update disposition, storage, and retention.

Ch 28.06 Juvenile Offenders – Finish updating Custodial Interviews

New E-Bike Policy from Deputy Chief – Began Editing; still in process

E. Administration

Administrative Corporal – Fleet

- Unit 225 – K9 vehicle – 5/9/26 notified that the check engine light is on. Notified command staff.
- Unit 203 – DPW for battery issue. And trim. Front Cowl needs to be replaced at windshield.
- Unit 227 – Pool Car – Ofc. Russo stated vents are not circulating air properly. She will drop it off at DPW when she picks her unit up.
- Reminded Alpha and Charlie squads that the monthly vehicle inspections sheets for April are due and have not been received.
- Ofc. Epps was notified to swap out of his patrol vehicle and put it in for repair.
- Unit 243 – new brakes, rotors and service was completed.
- Unit 241 transponder is not reading. Requested Ofc. Edwards to stop by the office so that I can evaluate the location of his mounting.
- Delivered Captain Reiber's vehicle to DPW for PM and braking noise.
- Unit 241 – Issued new transponder. Old one will need to be tested at the EZPass office.
- Unit 219 – finished repairs and it was picked up.
- 243 – finished repairs and it was picked up. It will likely need tires replaced the next visit.
- Reminded 2 Lieutenant's that I need their monthly vehicle inspections, along with SROs.
- Met with Al Packer body shop (Dennis) in reference to obtaining a quote to have the F150 repainted.
- Unit 222 – Service completed.
- Unit 255 – At DPW after it was involved in a 10-50. They will be going over the vehicle to assess tire replacement and to check safety and alignment.
- Unit 227 – Russo stated she left her sunglasses in it. She was directed to pick them up at any time.
- Unit 205 – new brakes, alignment, pm completed.
- Unit 220 – Al Packer to pick up on May 15th at DPW for check engine light in reference to fuel tank vacuum.
- Estimates for painting the vehicles were received and forwarded to command staff.
- Unit 202 – has a draw issues. Captain and Sean were notified.
- Unit 204 – has an issue with the lights and securing the vehicle. Captain and Sean were notified.
- Escorted Thompson's to the WWTP with two salvage vehicles to use for training.

Community Safety Specialist Rodney Thomas #554

05/11 Monday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived at W. Bel Air Ave for foot patrol.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

05/12Tuesday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived at W. Bel Air Ave for foot patrol.
- Arrived at Beards Hill and Aberdeen Marketplace Shopping Centers for foot patrol.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas.
- Arrived at the Police Station until the end of my shift.

05/13 Wednesday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived for crossing guard detail at Lisby Elementary School.
- Arrived for foot patrol at Aberdeen Marketplace shopping center.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

05/14 Thursday:

- Arrived at Festival Park to conduct a foot patrol of the area.
- Arrived at W. Bel Air Ave for foot patrol.
- Arrived at the WAWA for foot patrol.
- Arrived at the Train Station, which was secure and in good condition, conducted a walkthrough of the Train Station.
- Patrolled the Train Station and parking areas.
- Cleared and secured the Train Station after the cleaning crew had departed.
- Patrolled the Train Station and parking areas until the end of my shift.

05/15 Friday:

- Leave.

F. 24 Hour Reports

Date of Incident: 5/14/26

Incident Type: Burglary

Incident Report Number: 2026-00111318

Location of Incident: [redacted]

Reporting Officer: Ofc Soller 155

Synopsis of Events:

On 5/16/2026, at 2211 hours, Officers responded to [redacted] for a reported Burglary. Dispatch advised that the suspect broke into the store through the roof and was now walking around the [redacted]. Upon arrival, units were directed into [redacted] and detained the suspect, [redacted]. Officers learned that this incident actually occurred on 5/14/26 and is related to IR 2026-00109161. Officers spoke with [redacted] and [redacted]. They are the owners of [redacted] which is the unit next to [redacted] that was broken into. They stated that the suspect entered through a roof hole in the neighboring unit and broke into theirs through a connected locked door. They showed Officers multiple cameras on the outside of the building were damaged or tampered with. One camera captured the suspect's foot kicking it from the rooftop. The suspect fled through the bay door in the rear of the unit. The bay door also looks like it was forced open with a tool. [redacted] believed [redacted] was a suspect because the reporting party of the previously mentioned IR had been reviewing camera footage with the owner of the Aberdeen Shopping Plaza and [redacted] was told he was a possible suspect.

Investigation is ongoing

Date of Incident: 5/15/26

Incident Type: Domestic 1st Degree Assault

Incident Report Number: 2026-00110462

Location of Incident: [redacted]

Reporting Officer: Ofc Potts 189

Synopsis of Events:

On Friday, May 15th, 2026, Officers responded to the [redacted] in reference to a domestic assault. Officers learned that the suspect, [redacted], was walking westbound on Rt 40. Officers located [redacted] near the [redacted] pulling his daughter [redacted] along with him. The primary victim, [redacted] then arrived on scene to speak with Officers. Officers observed that [redacted] face was red and bruising. Her neck was also red and scratched. [redacted] advised that her and [redacted] got into an argument over infidelity accusations. [redacted] stated that she was punched numerous times and then was strangled by [redacted]. [redacted] daughters, [redacted] and [redacted], attempted to get [redacted] off of [redacted] while she was being strangled. The children were then assaulted as well. It was reported that [redacted] threatened all of their lives. [redacted] was placed under arrest and later transported to IPC.

[redacted] filed a protective order against [redacted]. The order was served at IPC and [redacted] made statements that he didn't care about it and would violate the order. He is currently at IPC held without bond.