City of Aberdeen
Weekly Report
January 19-25, 2025

I. City Hall

a. Department of Finance
b. Department of Planning and Community Development (DPCD)
c. Department of Public Works (DPW)
d. Human Resources Department

II. Aberdeen Police Department (APD)

PAGE INTENTIONALLY LEFT BLANK

I. CITY HALL

a. DEPARTMENT OF FINANCE

The following activities and actions took place this week:

Receipts for the week were:

1.	General Fund	$ 132,135
2.	Capital Projects Fund	0
3.	Water & Sewer Funds	528,413
4.	Stadium Fund	0
	Total	$ 660,548

Disbursements for the week were:

1.	General Fund	$ 259,203
2.	Capital Projects Fund	0
3.	Water & Sewer Funds	94,416
4.	Stadium Fund	7,500
	Total	$ 361,119

Significant Receipts:

1. N/A

Significant Disbursements:

1.	Medical Insurance	$225,872

b. DEPARTMENT OF PLANNING AND COMMUNITY DEVELOPMENT

The following activities and actions took place this week:

1. Continued to work on draft amendments to the Development Code.
2. Submitted reports for various MD Department of Housing and Community Development grant funded activities.
3. Attended webinar with other counties and local governments for the FY26 Congressionally Directed Spending “earmark” to learn about the timing and process of the applications. City lobbyist, Katie Hazlett also attended the webinar.
4. Followed up with MDOT and Federal Transit Administration regarding the three federal grants for the TOD Station Square project. A meeting has been scheduled to discuss the procurement process and next steps.
5. Completed three applications and supporting documents for the FFY25 SFY27 Water Quality Capital Projects and Drinking Water Programs through the Maryland Department of the Environment (MDE). Assisted the Associate Engineer with the additional documentation and Letters of Support. The applications are to request funding through these MDE programs for the Swan Meadows public infrastructure project.
6. The City was awarded a MD Department of Housing and Community Development FY2025 Community Legacy grant for the Aberdeen Main Street Public Corridor Beautification Project in the amount of $100,000.
7. Attended kick-off meeting with Troy Brestel and Jim Burnett with RK&K to discuss the traffic impact study requirements and timeline for the Aberdeen Activity Center site.
8. Building Permit activities:

Permits Processed – Residential

9.

Address	Type	Value of Construction
351 Stratford Ave	Solar Panels	$26,000
843 Leni Way	Fence	$ 5,500
717 Sagebrush Loop	New SFD	$316,000
Total: 3		$ 347,500

Permits Processed – Commercial

Address	Type	Value of Construction
627 S Philadelphia Blvd	Tenant Occupancy – ALL ROADS	$0
627 Philadelphia Blvd	Sign replacements (2) – ALL ROADS	$12,000
3726 Churchville Rd / Ste E	Sign – CULTIVATE BARBERSHOP	$5,858
34 N Parke St Unit D	Tenant Occupancy – Glow with Gabriella	$0
Total: 4		$ 17,858

Permits Issued this Week:

Address	Type	Value of Construction
701 Cornerstone Ln	Shed	$3,765
701 Cornerstone Ln	Deck (necessary landing)	$2,200
521 W Bel Air Ave	Solar Panels	$12,670
3726 Churchville Rd /Ste E	New Teant Fit-Out – CULTIVATE BARBERSHOP	$10,000
50 Smith Ave	Solar Panel – remove and reinstall	$674
3726 Churchville Rd	Amended Permit-Tenant Fit-Out – One Love Mind Body Yoga Studio – Revised plans	$45,000
351 Stratford Ave	Solar panels	$26,000
52 Royal Terrace	Solar Panels	$12,830
843 Leni Way	Fence	$5,500
3634 – 3648 Cooperstown Dr- Fields of Aberdeen	Construct New 16 Unit 2 over 2 Townhouse style apartments	$ 2,355,000
724 – 732 Aldora Dr	New TH's (block of 5)	$ 1,000,000
Total: 15		$ 3,473,639

Amended Permits:

3726 Churchville Rd – Tenant Fit-Out – One Love Mind Body Yoga Studio – Revised plans

Plans still under review at DILP and/or Health Department:

125 S Philadelphia Blvd-Tenant Occupancy-On Time Taxi; 603 W Bel Air Ave: interior/exterior renovations; 237 E Bel Air- deck; 22 N Howard St- Tenant Space Watchtower Brewery; 204 Northeast Rd- booster pump station; 129 S Philadelphia Blvd: Tenant Space for Lhayo Foods

The Preserve at Gilbert Meadows:

176 Total lots
Total # of Permits Applied for – 120
Total # of permits released: 113 (59 SFD/54 TH)
Total # of Type I Certificates of Occupancy released - 20
Total # of Type II Certificates of Occupancy released - 59

Aberdeen Overlook

344 Total Lots
Total # of Permits Applied for – 172
Total # of permits released: 167 (34 SFD/133 TH)
Total # of Type I Certificates of Occupancy released - 35
Total # of Type II Certificates of Occupancy released – 62

c. DEPARTMENT OF PUBLIC WORKS

The following activities and events took place this week:

CITY ENGINEERING & ADMIN

SUBDIVISION & LAND DEVELOPMENT

- 21-03 Gilbert Meadows – Video inspection of storm pipe in Phase E is still needed.
- 22-01 Fieldside Grande – Buildings under construction. No Change.
- 22-05 Aberdeen Overlook – Community Center and individual houses under construction.
- 22-08 Popeye's – Building construction continues. Curb and gutter almost complete.
- 23-02 Fields of Aberdeen – Buildings under construction.
- 24-01 Aberdeen MS – Still no schedule for utility tie-in.
- 24-02 WashX – Middleton Holdings Lot 3 – RDSD, SWM, W&S Plans under review.
- 24-05 Goddard School – SWM, ESC, WS Plans under review.
- 25-01 Mt Zion Church Phases 2, 3, & 4 – SWM and ESC Plan update under review.
- 25-02 Residences at Festival Square – SWM Plans under review.
- Chick-Fil-A Drive Thru Expansion – SWM Plans under review.
- 1203 Technology Drive – Water shutdown 1/14/2025. New valve to be installed has not yet been scheduled.
- 502 S Pulaski Highway – ESC, SWM, W&S Plans under review.
- Cypress Alley & Howard St – Concept Drawings under development for design committee to finalize scope of grant application. Infrastructure improvements estimates provided for City contribution portion. Preliminary discussions held with maintenance staff for installation of utilities at 22 N Howard St. Direction given to engage Horne Concrete to install grease trap(s) for future use at 18 & 22 locations.

WATER

- 22-18 Swan Meadows Utilities – Project not eligible for first round of federal funding, but Army Corps of Engineers is exploring further options. Additional federal resources will require applications at the State level first. With the assistance of Planning Department, three separate MDE grant applications were composed, finalized, and submitted 1/24/2025.
- 23-07 WTP PFAS Upgrade – Bench Scale Testing completed. Per update from GHD on 1-21-25, breakthrough results are being analyzed. GHD will have full report and recommendations for February progress meeting. Most likely raw water treatment will consist of VOC Air Stripper, Re-pressurization System, Green Sand Manganese Removal, and GAC PFAS Removal.
- 24-02 Lead Service Line Inventory Compliance – Two public meetings were held 1/21/2025 with Mayor and GHD in attendance. Regulations were explained to residents along with project outcomes and timelines. GHD will present proposal for next stages of project with a goal of inventory compliance within three years and replacement compliance within ten additional years.
- 25-02 Roberts Way & Shirley Dr. Area Waterline – Project is approximately 60% complete. All new pipe is installed and operational with all house services transferred to new mains. Remaining mainline tie-ins scheduled for 1/27/2025 through 1/30/2025. Remaining project tasks include abandonment of the old mains; removal of old hydrants, valves, etc; restoration of yards, sidewalk, and curbs; complete pavement resurfacing.
- Northeast Booster Pump Station – Developer to submit final plan to City for approval.

SEWER

- 22-09 Rt22 Sewer Interceptor – GHD will present proposal for topographical flight and field surveys at February meeting. Coordination with APG for permission to conduct aerial surveys has delayed efforts so far. New pipe alignment will fall mostly on City or State property and will consist of 18”-24” pipe. GHD is also including N Philadelphia gravity spur within this design effort.
- 22-10 Carsins Run & Eagles Rest Lift Station Upgrades – Established sewer loading to include 500 additional EDUs for Reserve at Greenside and 500 EDUs for
- 22-15 WWTP Flare – Project is not on schedule. Final completion scheduled 1/17/2025. Site, electrical, SCADA, and mechanical work remaining. Proposed lid balancing plan iapproved as submitted (RFI09).
- 25-04 Sewer Rehabilitation – Project Awarded to Insituform, signed contract and bonds received. Maintenance Staff is conducting additional investigations on priority areas to maximize the possible scope of work within the budgeted amount. Insituform will be given notice to proceed upon finalization of the scope at pre-construction meeting, yet to be scheduled. (Large portion of cost associated with cleanouts, services, and lateral lining.)
- 25-05 WWTP Clarifier Rebuild – AMWELL submitted project specifications for City review. Documents discussed with WWTP staff and comment sent to AMWELL for clarification on 1/21/2025. Adjusted specifications due back by 1/29/2025. AMWELL is to submit bidding docs with installation and demolition specifications week of 1/29/2025. Updated design is to address power and control requirements per WWTP comments.
- Pepsi Sewer Discharge Permit – Permit issued 1/15/2024. Project closed.

FACILITIES

- 25-01 FY25 Paving Contract – Milling and asphalt on Pinehurst on hold until weather allows (ambient temperature at least 40 degrees, no precipitation). 353 South Drive apron, curb, and sidewalk completed.
- Police Department Remodeling – Quotes received and under review. Will discuss internally to determine path forward.

CITY COMPLIANCE

- Daily routine inspections
- Updating Code Compliance files
- Unsafe roadside trees along Aldino-Stepney Road
- Cleanup of homeless encampment at Kiran Patel’s parcel
- Dead tree removal at 906 Edmund Street
- Unsafe structure at 114 N Philadelphia Blvd
- Posted snow removal courtesy flyers
- 6 calls, 7 emails, 10 courtesy flyers posted, 28 new open cases, 3 cases closed, 2 letters sent, 1 case entered into Beehive.

SWM

- 25-08 SR2 Tributary to Carsins Run Restoration – Bid Evaluation and Reference Check completed by KCI with recommendation submitted to City for review. Green Team Industries is lowest qualified bidder at $423,936 which is within budgeted amount of $886,000 from State Grant. Follow-up call to finalize recommendation and additional grant info scheduled for 1/29/2025 with KCI. Memo to Council for Award will be added to Council Agenda for first February meeting date.

GIS

- Respond to BGE obstruction data request for downtown streets Plater, S Rogers, and S Parke Streets.
- Trash application update to include new developments on City website.
- Beehive follow up regarding data push from ArcGIS Pro. Beehive is working on upgrades to allow this. Timeline is unknown. City will continue to follow up.

RECORDS RETENTION

- Scanning Engineering documents

DPW ADMINISTRATIVE

- Processed 16 invoices
- Sent out city wide robo calls for 3 water main breaks
- Entered 3 requisitions in Harris

MAINTENANCE DIVISION

BUILDING & GROUNDS

- Responded to 14 requests for service.
- Repaired 2 roof vents at DPW shop facility.

STREETS & STORM WATER

- Cleaned 3,286 Lf. of roadside trash.
- Performed snow removal operations on the 19th, 20th, and 21st.
- Cleaned trucks and performed maintenance after the snow event.
- Received/stored 200 tons of bulk road salt.
- Filled 3 potholes.
- Installed 39 Storm Drain medallions.

WATER & SEWER

- Responded to 22 service calls.
- Repaired 4” water leak on Rigdon Rd. near Bannan Rd.
- Repaired 8” water leak near 634 Andrews Rd.
- Performed water shut down for DXI on Roberts way and Jennifer Ln.
- Performed water shut down for DXI on Marjorie Ln and Shirley Dr.
- Performed 55 manhole inspections.
- Test pitted for water main near Preston Ford to find 2” water main connection.

FLEET
- Scheduled Repairs: 4
- Emergency Repairs: 6
- APD Services: 1
- Unit 79 – APG Backhoe – Gave vendor approval to perform the repairs.
- Unit 73 – Compost loader – Repairs in process at dealership.

MANPOWER
- 3 openings in Maintenance and 2 openings in Environmental. (1 prospect for Environmental.)

WATER / WASTEWATER PLANT OPERATIONS

WASTEWATER OPERATIONS
- Pump #2 at Hillsdale SPS out of service. Pump pulled and sent to vendor for impeller repair. Damage from large amounts of rags, debris entering wet well.
- Heat Exchanger #2 pilot adjustment and calibration.
- Loss of heat to WWTP truck bays. Electric wiring failure identified. Repairs completed and heating units back on line.
- Methane leak alarm system failure. New sensor heads will be ordered.
- Staff training for new WWTP “Flare” system 22 January.
- Certified temperature readings being taken daily due to extreme cold weather this week.
- City WWTP treated 11.4 million gallons January 16-22.
- APGNWWTP treated 3.6 million gallons January 16-22.

WATER OPERATIONS
- Two routine and two “Special” bacteriological samples collected.
- Replaced failed heater Hillcrest Tower vault.
- City WTP treated 4.1 million gallons. (does not include purchased water) January 16-22.
- APGNWTP treated 5.0 million gallons January 16-22.

DEPARTMENT
- Additional staff on duty for January 19 weather event. City/APG W/WW facilities.
- Compost loader #73 remains out of service.
- Primary Clarifier #1 remains out of service.
- Water plant high service pump #1 remains out of service. Scheduled replacement date February 21.
- WWTP staff responded to two after hour service calls.

SUPERINTENDENTS
- Additional staff on duty for January 19 weather event. City/APG W/WW facilities.
- Compost loader #73 remains out of service.
- Primary Clarifier #1 remains out of service.
- Water plant high service pump #1 remains out of service. Scheduled replacement date February 21.
- WWTP staff responded to two after hour service calls.

d. HUMAN RESOURCES DEPARTMENT

Current Openings – 13 total

APG – 1 Maintenance Worker

Environmental – 1 Driver, 1 Thrower

Planning and Community Development – 1 Planner II

DPW Maintenance Shop – 3 Maintenance Workers

W/WW – 1 Lab Tech, 1 Facility Worker, 4 Operators

II. ABERDEEN POLICE DEPARTMENT (APD)

APD WEEKLY REPORT

January 19 - 25, 2025



APD Calls for Service

Jan 12 - 18, 2025
Total Call for Service/Events Works - 509
Patrol Checks – 97
Community Policing Detail - 29
Foot Patrols – 40

Eastern District Incidents

Theft – 2
Assault - 4
Unattended Death – 1
Sex Offense – 1
Arson – 1
Trespassing – 2
Overdose – 1
DUI - 1

Central District Incidents

Protective Order Violation - 1
Assault - 1
Fugitive – 4
Theft - 3

Western District Incidents

Theft – 5
Assault – 5
Unattended Death – 1
Burglary – 1
Missing Person – 1
Narcotics - 1
Suspicious Activity - 1
Rape – 1
Trespassing – 1
Sexual Child Abuse - 1

Arrest January 12 - 18, 2025

202500012198	1/10/25	Rape
202500009903	1/13/25	Aggr. Assault
202500009941	1/13/25	Warrant
202500003536	1/13/25	Assault
202500009958	1/14/25	CDS Equipment
202500010247	1/14/25	Warrant
202500010356	1/14/25	Warrant
202500010886	1/15/25	Trespassing
202500010886	1/15/25	Trespassing
202500011061	1/15/25	Warrant
202400196864	1/15/25	Warrant
202500012258	1/16/25	Trespassing
202500012477	1/17/25	DUI
202500012726	1/17/25	Trespassing
202500013100	1/17/25	Theft/Trespassing
202500013100	1/17/25	Theft/Trespassing
202500013100	1/17/25	Theft/Trespassing
202500013169	1/17/25	DUI
202500013437	1/18/25	Aggr. Assault
202500013864	1/18/25	DUI
202500013598	1/18/25	Assault

APD Weekly Traffic Report

January 19 - 25, 2025

Traffic Stops

46 Stops/Contacts

21 State Citations

73 Warnings

2 Safety Eqt. Repair Orders

0 DUI

Crashes (Reportable, PI/PD)

2 (1 Property Damage, 1 Personal Injury)

SMART (Speed Monitoring Awareness Radar Trailer)

Location – N/A

STATTRAK

- Not Deployed

APD IT

- 38 Miscellaneous user/computer issues
- Daily surveillance camera check
- Daily firewall inspection and report
- Run city phishing test knowbe4
- Video review Hartsock
- Brad in person IT meeting
- Boot loop error
- Admin drive privileges update
- IT manager posting writeup
- Adobe licenses cleanup
- Dock install police cars x1
- System source IT transition meeting x2
- Travel lodge video Soto
- Brad email review

APD ACCREDITATION

This Week

Proofs of Compliance –

Searched for incident reports and other reports for all four years.

Files Still Open

Date	Year 4	Year 1	Year 2	Year 3
1/17/2025	76	224	372	956
1/22/2025	71	224	372	953
1/23/2025	64	224	372	953

DES Communications Standards

Organized the Standards and determined, with Donna's help, which proofs Records can provide and which Proofs only DES can provide.
Emailed Ross Coates to arrange for a visit to DES.

Year 4 Proofs of Compliance

Sent reminders

Canine Policies – Sent Request for General Order

Updated to current practices. Moved procedures for required certifications, licenses, inspections and reviews to new section.

Ch 33 Police Canines
01 Canine Operations
02 Canine Training & CDS Aids
03 Canine Care and Health
04 (new) Canine Selection, Certifications & Inspections

New CALEA Standard – Studied and began writing procedures.

41.3.10 In-Car and Body-Worn Audio Video Reviews (additional 12 proofs of compliance due next year)
New Policy: Section 03 Audio & Video Reviews

Annual and Biennial CALEA-required Training

Compiled the list of this training due this year and send it to the Training Coordinator.

Policy Ch 04 Administration 03 Processing New Hires

Cpt Reiber will send me any corrections.0

Planned Next Week
1/27-31/2025

Proofs of Compliance

Collect the remaining 64 Proofs of Compliance.

Traffic Policies

Ch 25.05 Selective Enforcement Activities – verify changes and resubmit to Sgt Neidig.
Ch 25.11 Traffic Offenses Involving Alcohol and Drugs- complete corrections and resubmit to Sgt Neidig.

Criminal Follow-up Investigations and Victim/Witness Follow-up Investigations

Sent these two policies to Lt Persuhn to review and correct.
Ch 27.02 Preliminary and Follow-up Investigations
Ch 27.07 Assistance to Victims and Witnesses

Added as Endnotes Each Standard with Types of Proofs of Compliance. I told Lt Persuhn she could probably recommend better, stronger proofs of compliance for these Standards. She agreed to advise me on policies and proofs.

Accreditation Plan and Ch 43:11 Accreditation Policy

Review and edit Plan with Chief; Update Policy.

CALEA CIMRS Data Report

fill in the Policy, Procedures, & Practices Updates.

And Beyond

PEIS Policy

Finish updating policy

Equal Opportunity Employment Policy (Plan)

Finish the Plan and request GO.

Write "How To" Procedures as needed by Administrative Commander

1. ***Recruitment Plan Administrator***
2. ***Position Management System Coordinator***
3. ***Probationary Performance Evaluations Scheduler***
4. ***Department Position Descriptions Coordinator***
5. ***Records Inventory & Retention Coordinator***

6. ***FTO Manual Coordinator***
7. ***Orientation Coordinator***

CSM Reviews are scheduled:

Year 3 – 6/13/2025
Year 4 - 1/2/2026

Site-Based (Reaccreditation Assessment)

2/16/2026

CALEA states that dates could be modified based on scheduling or staffing needs.

APD 24 HOUR REPORT

Date of Incident: 1/26/2024
Incident Type: Missing Person/Adult
Incident Report Number: 2025-00019769
Location of Incident: [redacted] Hamilton Place,
Reporting Officer: A/Cpl. Haddix, ID#162

Synopsis of Events:

At 10:38 AM, A/Cpl. Haddix responded to [redacted] Hamilton Place, apartment [redacted] in reference to a missing person from apartment [redacted]. The mother of the victim has not been seen by her since Thursday, 1/23/2025.

The victim was entered into NCIC and the PIO team published a Missing Person's social media post.

At this time there is nothing suspicious regarding the disappearance.

APD 24 HOUR REPORT

Date of Incident: 1/26/2024
Incident Type: Unattended Death
Incident Report Number: 2025-00019703
Location of Incident: [redacted] Washington Street
Reporting Officer: Off. Howard ID#181

Synopsis of Events:

Today's date at 7:00 AM, officers responded to the above address for a report of a cardiac arrest. Upon arrival, officers and EMS found the victim unresponsive and in SCA. Efforts to revive the victim continued for 30 minutes without success and the victim was pronounced P4 at 7:36 AM.

Det./Cpl. Shoffstall was contacted and advised on the incident at hand. The scene was photographed by OFC. Welsh. The Medical Examiner (ME) was contacted and advised. ME Diane Lawder responded and conducted a review. The ME ordered transport of the victim to the OCME.

APD 24 HOUR REPORT

Date of Incident: 1/26/2024

Incident Type: Stolen MV

Incident Report Number: 25-19610

Location of Incident: [redacted] Liberty St. Aberdeen Md. 21001

Reporting Officer: Off. Russo A183

Synopsis of Events:

On January 26, 2025, Off. Russo responded to [redacted] Liberty St. regarding a reported theft of a MV. Upon arrival contact was made with [redacted]. He explained that he had been hanging out with the suspect, [redacted], at his residence, when she took the keys to his [redacted] ([redacted] tag[redacted]) pickup truck and left the location.

CID Det. Shoffstall was contacted in reference. A BOLO was placed to surrounding agencies. The vehicle was entered as stolen into NCIC.

APD 24 HOUR REPORT

Date of Incident: January 25, 2025

Incident Type: Unattended Death

Incident Report Number: 25-19452

Location of Incident: [redacted] Market St. Aberdeen MD 21001

Reporting Officer: Off. Massimei A178

Synopsis of Events:

On January 25, 2025, Officers were dispatched to [redacted] Market St. regarding a cardiac arrest. Aberdeen Ems were already on scene upon officers' arrival. [redacted], the sister and roommate of the victim, [redacted], was also on scene. She explained that her sister had been complaining about difficulty breathing and had gone to make her some tea, only to find her unresponsive. EMS called Priority 4 at 2233 hrs. There did not appear to be any foul play, signs of trauma, nor any drug or alcohol use.

On-call CID Det. Shoffstall was notified as well as the on-call ME Victoria Banner. On-call NP Juliana Vaeth of Union Medical Clinic in Havre De Grace agreed to sign off on the death certificate.

APD 24 HOUR REPORT

Date of Incident: 1/24/2025
Incident Type: Motor Vehicle Theft (2x)
Incident Report Number: 202500018072, 202500018103
Location of Incident: [redacted] SHINECOCK RD, [redacted] ORDNANCE CIR
Reporting Officer: Officer S. Howard, ID#181

Synopsis of Events:

At 6:52 AM, Officer Howard responded to [redacted] Shinnecock Road for a motor vehicle theft. The victim reported his vehicle parked outside the apartment building at 9:15 PM on 1/23/2025. When he went to leave for work at 6:50 AM his [redacted] bearing [redacted] registration [redacted] and VIN ([redacted]) was missing. There was no evidence of forced entry (glass on ground). At 8:06 AM, Officer Howard responded to [redacted] Ordinance Circle for a report of a motor vehicle theft. In this case, the victim reported his vehicle parked near the apartment building at 5:00 PM on 1/23/2025. When he came outside this morning at 7:30 AM, his gray [redacted] registration [redacted] and VIN ([redacted]) was missing. Again, no signs of forced entry (glass on ground).

Officer Howards reviewed surveillance video and was able to see a [redacted] at 1:03 AM in the parking lot next to the [redacted] vehicle. About 6 minutes later, two people are seen. Next, one person gets in the vehicle and the victim's vehicle is gone. Both vehicles were entered into NCIC.

APD 24 HOUR REPORT

Date of Incident: 01/23/25

Incident Type: Homicide

Incident Report Number: 2025-00017792

Location of Incident: Washington St at Dorsey St

Reporting Officer: Cpl. Peterson

Detectives Investigating Fatal Shooting on Washington Street

Detectives are investigating a fatal shooting that occurred on Thursday, January 23, at approximately 8:38 p.m.
Officers arrived at the corner of Washington and Dorsey Street after receiving a call to check on the well-being of a person lying in the road. The arriving officer located Travis Davis, 37, with injuries consistent with a person suffering from gunshot wounds and began life-saving measures. EMS responded and pronounced the victim deceased.

Detectives from the Criminal Investigation Division arrived and assumed control of the scene and investigation.

Police are asking anyone with information regarding this homicide to contact Detective Lightner at 410-272-2121 and follow these steps: press # 2, press #8, and dial extension 160.