Weekly City Hall Activity Report

July 7 - 13, 2024

Table of Contents

Human Resources	Page 3
Finance Department	Page 4
Planning & Community Development	Page 5 - 7
Department of Public Works	Page 8 - 10
Police Department	Page 11- 17

Human Resources 7/8/24

Openings 7/12/24

APD Sworn	6
Maintenance Workers	6
Data Entry Clerk	1
W/WWTP Operators	2
W/WWTP – APG Vac Truck	1

Employees Out on Leave

Short Term Disability	2	2 - WWTP
Workers Compensation	2	2- APD
Administrative Leave	2	2 - APD
FMLA - Intermittent Leave	3	

HR is gathering information for a subpoena received for a Workers Compensation claim re. former employee

Met with 10 of our W/WWTP Plant Operator Trainees for information gathering re. retention, what they like about their position, what we could do to help them become certified, etc. The meeting was very interactive and I came away with some positive feedback re. methods to help them with the exams which I plan to discuss with the Superintendent.

The job description and internal/external posting for the Special Assistant for Communication to the Mayor's Office is being finalized and should be posted this week.

Imported into ADP, FY25 pay increases, revised retirement deductions and health insurance deductions

Finance Department
Weekly Update
Week of July 8, 2024

Receipts for the week were:

1.	General Fund	$ 575,806
2.	Capital Projects Fund	0
3.	Water & Sewer Funds	242,833
4.	Stadium Fund	0
	Total	$ 818,639

Disbursements for the week were:

1.	General Fund	$ 144,501
2.	Capital Projects Fund	14,519
3.	Water & Sewer Funds	154,998
4.	Stadium Fund	8,533
	Total	$ 322,551

Significant Receipts:

1.	Highway User Revenue	$186,723
2.	Police Differential	$328,758

Significant Disbursements:

1.	Ford Truck F150	$101,400

Cash Balances as at 6/30/24:

1.	General & Capital Projects Funds	$21,328,345
2.	Water Fund	16,568,756
3.	Sewer Fund	11,722,245
4.	Stadium Fund	1,883,095
	Total	$51,502,441

Procurement Activities:

1. Pre-Bid meeting held for project 24-14, 22 Howard St. Shell Improvements

Bond Rating

On July 8, Fitch Ratings affirmed the City's AA+ bond rating. In addition, they revised the City's Rating Outlook, upwards, from Stable to Positive.

CITY OF ABERDEEN
DEPARTMENT OF PLANNING AND COMMUNITY DEVELOPMENT
UPDATES FOR WEEK OF JULY 8, 2024

The following activities and actions took place this week:

- Mrs. Grover attended the City Council meeting regarding discussion on the Comprehensive Rezoning process.
- Mrs. Grover attended a meeting with Mayor McGrady, Jessica Cook with Senator Ben Cardin's office, and Katie Hazlett with Commonwealth Strategic Partners to discuss the Congressional Directed Funding Applications (Earmark Requests) for Swan Meadows infrastructure and Aberdeen Activity Center outdoor recreation improvements. We took a tour of Aberdeen that included: U.S. Post Office, Main Street, Aberdeen Train Station, proposed site for the Transit Oriented Development Station Square improvements, North Gate Business Park, Swan Meadows, Converge formerly known as the HEAT Center, Ripken Stadium and Ripken Youth Experience, and the site for the new Activity Center.
- Ms. Spector and Mrs. Grover participated in the stakeholder meetings with Mahan Rykiel for the Main Street design concepts.
- Ms. Spector and Mrs. Grover attended the Board of Appeals hearing and two cases were presented to the Board.
- Ms. Spector and Mrs. Grover discussed new development of three lots on Battle Avenue.
- Ms. Spector and Mrs. Grover reviewed the preliminary site plan for the Reserve at Greenside.
- Ms. Spector and Mrs. Grover attended the Planning Commission meeting on July 10. The Planning Commission voted to hold the preliminary site plan for the Reserve at Greenside in obeyance. The Planning Commission also approved their 2023 Annual Report, a request to the City Council to update the 2012 Transit Oriented Development Master Plan, and a request for consideration to create a public park on the City-owned land on Beards Hill Road.
- Ms. Spector prepared the agenda for the upcoming Economic Development Commission meeting on July 17.

Main Street Coordinator Activities for June 2024:

6/3 – Attended council meeting
6/4 – Held mini golf event for A.C.C.
6/5 – Met with George and Joe from Watch Tower Brewing
6/6 – Visited Dee's Flowers, Beacon Staffing, & Tina's Trophy World reference water damage from last night's storm
6/6 – Organizational Meeting held at Harford Bank
6/7 – Met with Delegate Johnson about the storm damage to several businesses, and started to put together information to forward to him showing out-of-pocket cost these businesses have encountered during weather events like on 6/5
6/11 – Attended board meeting for A.C.C.
6/13 – Met with Historic Society about utilizing the city lobby or Activity Center for display
6/17 – Attended council meeting
6/18 – Design Committee Meeting
6/18 – Attended Virtual Tourism Meeting for State
6/18 – Met with Peter Dacey Friends of the B&O to help with Aug 8 event.
6/18 – Attended Virtual Building Inventory Tracker
6/20 – Attended H.C.C.C. annual dinner meeting
6/22 – Partnered with A.P.D. for Victory Park event giving out snow cones
6/25 – Attended Scholarship luncheon for A.C.C.
6/27 – Meeting with Christina O'Mara for the Mermaid Event.

Notes:

1. I have started to build a business directory page for the Main Street website. I have done two online tutorial classes on Static and Dynamic pages hoping to have a user-friendly page listing all main street businesses and linking to their website or Facebook pages.
2. Prepared information for Stakeholders meeting in July, and emailed information to Mahan Rykiel as requested.
3. Continued social media and website promotions on upcoming events – Under the Sea Bash, Shred fest, and Cornhole Tournament/Think Pink Event.
4. Arial Andrada, owner of Bayanihan International Food Market will try to set up a meeting with the prospective new owner of his business, as he is retiring at the end of 2024.

Building Permit Report:

Permits Processed (Residential)

Address	Type	Value
3636 Gerald Dr	**Deck**	$8,700
709 Everist Dr	**Alteration- adding bathroom**	$12,870
836 Leni Way	**New SFD**	$232,000
3656 Golden Rose Way	**Fence**	$2,000
708 Cornerstone Ln	**New SFD**	$280,000
110 Baltimore St	**Fence**	$23,461
343 S Deen Ave	**Exterior Reno – Fire Damage**	$20,000
Total: 7		**$ 579,031**

Permits Processed (Commercial)

645 S Philadelphia Blvd	**Interior Reno – tenant space**	$45,000
1104 S Philadelphia Blvd	**Interior Reno – Tenant Occupancy**	$323,000
920 Playfair Terr Way	**In-ground pool at Community Center**	$200,000
Total: 3		**$ 568,000**

Additional plans under review at DILP and/or Health Department:379 Stratford Ave-solar panels; 3706 Centerfield Rd-tenant Fit Out- Maryland Floors Pro; 2106 Titan Terr – Construct New SFD; 11 E Aztec-deck; 975 Beards Hill- Tenant Fit-Out 5 Below; 1011 Old Philadelphia Rd- Tenant Fit-Out Thyssen Krupp;1014 Beards Hill Rd – Tenant Fit Out-KPot; 320 S Philadelphia Blvd – Face replacement on monument sign. 645 S Philadelphia Blvd- create empty tenant space; 951 Beards Hill Rd- Tenant Fit Out – Flame Japanese Hibachi; 361 Michael Ln- alterations to City's WWTP; 23 Lewis Dr – handicap ramp; 456 Doris Cir- interior reno

Fields Of Aberdeen

3650-3660 Cooperstown Dr – Under Review

3600-3612 Cooperstown Dr – Under Review

3601-3615 Cooperstown Dr- Under Review

3633-3647 Cooperstown Dr- Under Review

3634-3648 Cooperstown Dr- Under Review

3614-3622 Cooperstown Dr- Under Review

3624-3632 Cooperstown Dr-Under Review

Fieldside Grande

830-838 Camden Way – Released Permit

831-843 Camden Way – Released Permit

840-846 Camden Way- Released Permit

817-829 Bumbry Circle- **Permit Released - 06/04/2024**

830-842 Bumbry Circle- **Permit Released - 06/04/2024**

830-842 Flanagan Way- **Permit Released - 06/04/2024**

831-843 Flanagan Way – **Permit Released - 06/04/2024**

803-815 Bumbry Circle- **Permit Release - 06/04/2024**

800 Bumbry Circle – **Permit Released - 06/04/2024**

810 Bumbry Circle – **Permit Released - 06/04/2024**

The Preserve at Gilbert Meadows:

176 Total lots

Total # of Permits Applied for – 113

Total # of permits released: 70 (33 SFD/37 TH)

Total # of Type I Certificates of Occupancy released - 7

Total # of Type II Certificates of Occupancy released - 25

Aberdeen Overlook

344 Total Lots

Total # of Permits Applied for – 158

Total # of permits released: 62 (17 SFD/45 TH)

Total # of Type I Certificates of Occupancy released - 3

Total # of Type II Certificates of Occupancy released - 8

Other Business – Advocate, Amended 7 Permits, Released a total of 17 Permits, followed up with applicants regarding older pending permits (cancelled 1 permits)

DPW Weekly Activity Report
07/05/2024
CITY ENGINEERING

SUBDIVISION & LAND DEVELOPMENT

- 17-03 Stadium Town I-95 Center – WS and SWM As-Built submissions received and under review. Grading Permit expired 7/7/2024, extended until end of July 2024.
- 21-03 Gilbert Meadows – Site contractor returned to complete water/sewer installation along Dexter Court. Water main passed hydrostatic testing. Chlorination and bacteria sample performed 7/10/2024. Storm drain and micro-bios being installed.
- 22-01 Fieldside Grande – Phase 2 base asphalt being installed on Bumbry Circle, Abrams Road, and Flanagan Way. Site is stabilized.
- 22-05 Aberdeen Overlook – Phase 4 & 7 base paved. Phase 6 stabilized. Building construction underway.
- 22-07 Rutter's – BMPs being installed. Mass grading and fuel excavation continuing. Building construction is underway. No change.
- 22-08 Popeye's, Middleton Holdings Lot 2 – Stormdrain pipe is being installed.
- 23-02 Fields of Aberdeen – Slow construction work. Site has been soil cemented. Base pavement, curb and gutter installed. No change.
- Sanitary Industrial Users (SIU) standards via MDE are becoming increasingly strict. A process for assessing SIU discharge to be considered for new developments.

WATER & SEWER MODELING

- 25-03 Water and Sewer Modeling – Bid Package and Scope begin development. Rought draft of RFP and Bid Evaluation process due for review 7/12/2024.

FACILITIES

- 24-08 Sidewalk Connectivity – Site Meeting Held for Barnette Lane storm drain revisions 7/11/2024. Inlet for Beards Hill and Barnette approved and ordered. Edmund and Cambridge area sidewalks to be complete 7/16/2024
- 25-05 Sidewalk Connectivity – Areas assessed and developing a bid package. Areas to be present in the next few weeks to council for approval, no change.
- Stadium Facility Evaluation – Arbitration held June 24-27 over renewal agreement and settlement agreement. 45-day period for final summary.

WATER

- 21-12 HDG Water Connection – Substantial completion dated 12/2/2022. Awaiting final invoicing and closeout. Project waiting for litigation. HdG & Harford County meter vault agreement approved. Meter improvements required by HdG.
- 22-05 I-95 Elevated Water Tank – Project recommended for award to Johnson Construction. Awaiting Contract Document processing prior to awarding notice to proceed.
- 22-07 Long Drive Booster Station – Waiting on BGE electric service. Contractual substantial completion scheduled for 8/27/2024. Contract final completion 1/15/2025.
- 23-07 WTP PFAS Upgrade – WTP received new containers for shipment of raw water for breakthrough testing. Awaiting shipping instructions. No Change.

- 24-02 Lead Service Inventory – Meeting with GHD this week to discuss project status. On track to meet state/federal deadline for assessment report.
- 25-02 Roberts Way and Shirley Drive Waterline – Bid package and scope complete, under review.
- Meters on Private System & Hydrants – List of hydrants created with owners and address. Location maps for each system created with suggested master meter locations. Letters to be drafted and mailed. No Change.
- Northeast Water Tank Upgrade – Project on hold until development agreement is processed by Developer and approved by City.
- Harford County Water Supply – Update to current Harford County water purchase agreements. Draft documents provided for review. No Change.

SEWER

- 21-12 Swan Creek Pressure Sewer – Awaiting final invoicing and closeout. Project waiting for litigation.
- 22-15 WWTP Flare – Digester #1 cleaning complete. Interior improvements underway. The contractor provided Change order for lid rollers and guides. Approved 30-day extension. A change order is anticipated to replace the existing pressure relief valve and a cleaning, preparation and new coating on the metal surface of the tank lid. Substantial completion date 8/19/2024. New Final Completion 2/7/2025
- 24-06 WWTP Lime Building Demolition - Harford County permit approved. Building Construction to begin 7/30/2024.
- 25-04 Sewer Rehabilitation Annual Contract – Scope of Work under development.

GIS

- Create streetlights inventory map from BGE dataset. Reviewing changes from 2022 from 2024 inventory.
- Add Gilbert Meadows utility features.

MAINTENANCE DIVISION

BUILDING & GROUNDS

- Responded to 10 service requests.
- Elevated 14 trees in Twin Oaks open space.
- Made repairs to the Swim club coping stone grouting and rope anchor.

STREETS & STORM WATER

- Chipper List – 5 locations.
- Removed limb from roadway on Cronin Dr.
- Plated over a sink hole on Gunnison Dr. and Plater St.
- Completed installation of a new inlet box on Law St.

WATER & SEWER

- Flushed 10 hydrants and flowed 144,198 gallons in region 6.
- Repaired 2” main and service connection on 600 block of Plater St.
- Replaced fire hydrant and valve on Market St. near Rock Rd.

- Repaired/replaced 9’ section of 8” sewer main and two service taps on the 100 block of Edmund St.
- Repaired/replaced 10’ section of 8” sewer main in the 200 block of Edmund St.
- Performed cleaning to *’ of sewer main.

MANPOWER
- 6 vacancies – 3 Sewer Collections – 3 Streets

FLEET
- Unit 25 – DPW Shop Dump Truck – Sent out for repairs to AC system.
- Scheduled repairs: 10
- Emergency repairs: 9
- APD Services: 5

WATER / WASTEWATER PLANT OPERATIONS

WATER & SEWER
- WWTP: New mechanical seal for main pump four has been replaced. Pump is back in service.
- WWTP: Replaced failed bearing for main pump station ventilation system.
- WWTP: Treated and discharged 12.1 million gallons July 4 to July 10.
- WTP: Started the installation of chlorine continuous monitoring system at Rail Bird Booster station.
- WTP: Production well six offline. Failed VFD and possible pump motor issues. A replacement VFD has been ordered. Well contractor will need to pull pump, motor for evaluation.
- WTP: Heavy manganese build up caused failure to WTP PRV. PRV pulled, serviced and placed back in service.
- WTP: Treated and discharged 8.0 million gallons to distribution system July 4 to July 10.
- Department: Superintendent re-submitted May water MOR to MDE. MDE unable to locate report that was submitted on June 10th as required.
- Department: Two operator vacancies, one pump truck operator vacancy.

MANPOWER
- Three (3) vacancies: Two (2) operator vacancies. One (1) pump truck operator vacancy.

APD Weekly Report
July 7 - 13, 2024

Part I Crimes June 30 – July 6, 2024



06/30/24 – Domestic Assault
423 S. Parke St
IR# - 202400157704

06/30/24 – Assault
939 Beards Hill Rd
IR# - 202400158251

06/30/24 – Theft
645 S. Philadelphia Blvd
IR# - 202400158299

07/01/24 – Theft from M/V
706 S. Philadelphia Blvd
IR# - 202400158915

07/02/24 – Theft
1025 Middleton Rd
IR# - 202400160041

07/03/24 – Theft
999 Beards Hill Rd
IR# - 202400160254

07/03/24 – Domestic Assault
41 Pritchard Ave #C2
IR# - 202400160353

07/03/24 – Theft
33 N. Parke St
IR# - 202400160397

07/03/24 – Assault
2100 Titan Terrace
IR# - 202400160658

07/03/24 – Burglary
45 Smith Ave
IR# - 202400160755

07/03/24 – Theft
999 Beards Hill Rd
IR# - 202400160779

07/03/24 – Domestic Assault
303 Plaza Ct #1A
IR# - 202400160859

07/04/24 – Theft
645 S. Philadelphia Blvd
IR# - 202400161255

07/04/24 – Theft
645 S. Philadelphia Blvd
IR# - 202400161270

07/04/24 – Assault
454 Bonnett St
IR# - 202400161318

07/04/24 – Assault
102 N. Rogers St
IR# - 202400161481

07/05/24 – Domestic Assault
423 S. Parke St
IR# - 202400162195

07/05/24 – Assault
117 Hanover St
IR# - 202400162498

07/06/24 – Assault
159 Farm Rd
IR# - 202400163096

07/06/24 – Domestic Assault
127 Hanover St #A
IR# - 202400163152

07/06/24 – Domestic Assault
62 Valley Bottom Rd
IR# - 202400163420

*Information Obtained From CAD

24 Hour Reports

Date of Incident: 07/13/24

Incident Type: Unattended Death/Witnessed Cardiac Arrest

Incident Report Number: 2024 -169235

Location of Incident: 603 Pinehurst St. Aberdeen, MD 21001

Reporting Officer: OFF. C. Welsh A167

Synopsis of Events:

On Saturday 07/13/24 at approx. 1449 hours, officers responded to 603 Pinehurst St. in reference to a witnessed cardiac arrest. Upon arrival, medics were performing CPR and life saving measures on [redacted] male who was visiting from Chicago and staying with his daughter [redacted]. [redacted] suffered from Parkinsons, High Blood Pressure, Diabetes and cardiac issues.

AFD Chief 21 pronounced [redacted] deceased at 1528 hours. OCME was contacted due to the deceased subject's doctor being from the State of Illinois. OCME Investigator Meehan responded to the scene to complete a scene inspection in order to have the OCME on-call, Doctor Alli sign the death certificate. (Not a suspicious death) Det. Soto was notified.
Lisa Scott Funeral Home was contacted by the family for removal of [redacted].
OFF. Welsh completed the Death Investigation report.
No further information.

24 Hour Reports

Date of Incident: 7-11-24

Incident Type: Handgun Violation

Incident Report Number: 2024 -00167655

Location of Incident: 3710 Churchville Rd, Aberdeen, MD, 21001

Reporting Officer: Officer Epps

Synopsis of Events:

A/Cpl. Tenny activated his Departmentally issued AXON Body camera during this incident. On 7-11-24 at about 1638hrs A/Cpl. Tenny responded to 1025 Middleton Rd, Aberdeen, MD, 21001 in regard to a possible wanted suspect at the location. The suspect was described as a white female, with blond hair, tattoos all over her body and wearing black clothing. Upon arrival updated information described the suspect leaving in a Blue Honda which was on Middleton Rd.

A/Cpl. Tenny who was currently at the intersection of Middleton Rd and Rt 22 later observed a Blue Honda turning onto Rt 22 from Middleton Rd. A/Cpl. Tenny pulled behind the vehicle and ran the vehicle tag through Dispatch. The tag on the vehicle had a Maryland registration [redacted]. It was advised that the vehicle had suspended registration. A/Cpl. Tenny conducted a traffic stop, activating lights and sirens, at which point the vehicle came to a stop at 3710 Churchville Rd, Aberdeen, MD. 21001.

Upon approaching the vehicle, a female matching the description was observed in the passenger seat slouched down, so she could not be observed from where this Officer was positioned. The driver provided his identification and was identified as [redacted]

A/Cpl. Tenny asked the female for identification for which she advised she had none. The female suspect provided a name of [redacted], and a date of birth of [redacted]. Upon running the information through dispatch an MVA photo was generated. The photo did not match the female suspect in the vehicle.

The name of [redacted] with a date of birth of [redacted] was provided by the caller as being the female suspect. An MVA photo was provided by dispatch for the female suspect [redacted]. Upon the arrival of additional units and a closer comparison of the suspect in the vehicle and the photos, it was determined that [redacted] was the female in the vehicle. It was also discovered that [redacted] had several open warrants to be served.

While at the scene Aberdeen Records received a call from a female who advised her name is [redacted], [redacted] advised that she knew officers were out with her daughter and that she would use her name.

During the initial investigation the caller provided a Photo of the female suspect who entered the Target store located at 1025 Middleton Rd, [redacted] had blond hair. While Officers were investigating the incident [redacted] had dyed her hair, changing her appearance.

Officer Epps detained [redacted] after it was determined she had several open warrants and was providing an identity that was not hers. Pending a search of [redacted] and her property, paraphilia material was discovered. The male driver was removed from the vehicle pending a PC search of the vehicle. A short time later Officer Epps began a search and recovered a firearm from the center console. The driver of the vehicle [redacted] was placed under arrest and both suspects were secured in separate patrol vehicles.

Several tools were located in the trunk of the vehicle, some still containing security tags on them. The property is suspected to have been stolen and a follow-up will be conducted in reference. The property was submitted to APD property. The tools are valued at an estimated $1213.00 in value.

Both suspects were transported to the Aberdeen Police Station for processing and will be later transported to IPC.

Both [redacted] and [redacted] are being charged with multiple Offences including several Handgun violations.

The handgun recovered is a .32 Cal Smith & Wesson Model 733, serial number [redacted] containing 6 rounds of ammo. Attached is a photo of the firearm.

Both [redacted] and [redacted] are prohibited from firearms.

Additional IR reference number 202400167714.

24 Hour Reports

Date of Incident: July 11, 2024

Incident Type: Check on Subject - PWID

Incident Report Number: 2024 -00167009

Location of Incident: 231 N. Philadelphia Blvd. Aberdeen, MD 21001

Reporting Officer: Ofc. Saraiva (A153)

Synopsis of Events:

On Thursday, July 11, 2024, Officers responded to 231 S. Philadelphia Blvd. in reference to a check the welfare on a subject that was not responsive in a vehicle.

Officers found [redacted] in the driver's seat of his vehicle with obvious agonal breathing and he was not responsive. In the rear passenger's seat, officers discovered 63 indiviually packaged baggies of suspected Fentynal.

[redacted] was administered 1 dose of Narcan prior to paramedics arrival. [redacted] was transported to the hospital for further treatment and observation.

An applicaton for PWID was submitted by Ofc. Saraiva and a warrant was issued. The appropriate hospital documentation was delivered for notification prior to his release.

[redacted] cellular device was seized at the scene as evidence based upon statements made that he purchased the CDS while at Wawa.

24 Hour Reports

Date of Incident: 7/10/24

Incident Type: Missing Person

Incident Report Number: 2024 -166385

Location of Incident: Walnut Lane

Reporting Officer: Epps

Synopsis of Events:

On July 10th, 2024, Ofc. Epps responded to [redacted] Walnut Lane for a Missing Person. He met the Victim's sister. She reports that she has not heard from her sister who is homeless and an addict. She reports her sister normally hangs on York Road in Baltimore City. The Victim also has two outstanding arrest warrants. The Reporting Person is disabled and could not go to file reports in either Baltimore City or County. Ofc. Epps had Dispatch check the Hospitals and the Jails. The results were negative in locating the whereabouts of this victim. The Victim was entered into N. C. I. C. by Aberdeen Police Department Records (NIC #M518006635).

24 Hour Reports

Date of Incident: 7-10-24

Incident Type: Theft

Incident Report Number: 2024 -00166495

Location of Incident: [redacted] Leni Way (Lot 112), Aberdeen, MD, 21001

Reporting Officer: Officer Baust

Synopsis of Events:

On July 10th, 2024, Ofc. Baust responded to [redacted] Leni Way (Lot 112) about a past theft. Upon arrival, Ofc. Baust made contact with employee, [redacted] of Ryan Homes.

[redacted] stated that sometime between July 9th, 2024 @ 1600 hours through July 10th, 2024 @ 0900 hours an unknown suspect entered the home and stole a brand new (still in the box), Noritz tankless water heater valued at $3,000.

[redacted] stated that all the locks, windows, and garage were secured. [redacted] stated that numerous contractors have access to the homes, via key and that none of the windows or locks were broken.

No video was located in the area. No witnesses were present at the time. CID Detective Shoffstall and Lt. Reitz were contacted in reference.

24 Hour Reports

Date of Incident: 7/9/2024
Incident Type: Stolen MV
Incident Report Number: 2024 -00165588
Location of Incident: [redacted] Center Deen Ave
Reporting Officer: Officer Brandon VanHoy, ID#177

Synopsis of Events: Ms. Urban reported her 2003 gold Honda Accord (no reg. plate, VIN [redacted]) stolen. She originally purchased it for [redacted], tagged, titled, and insured it. When she found out he was operating it with unauthorized persons and not under supervision, she pulled the tags and canceled the insurance. [redacted] then signed the title over to [redacted] who never got it registered or insured. [redacted] stated [redacted] had last parked the vehicle in the 300 block of Center Deen Ave on 7/6/24 because the batter was dead. He called his dad to come get him to go get a new battery and when they returned, the vehicle was done. He had the only key. There was no evidence of any glass break at the location. The vehicle will be entered into NCIC.

Aberdeen Police Department

Arrest June 30 – July 6, 2024

6/30/24	202400157698	DWI
6/30/24	202400158403	Warrant
7/02/24	202400159261	Warrant
7/03/24	202400160563	Warrant
7/03/24	202400160577	Panhandling
7/03/24	202400160800	CDS
7/04/24	202400161577	Trespassing
7/05/24	202400162627	Trespassing
7/03/24	202400160755	Burglary/Vandalism
7/03/24	202400160755	Burglary/Vandalism

June 30 – July 6, 2024
Total Call for Service/Events Works - 572

Eastern District Incidents

Assault – 4

Burglary – 1

Vandalism - 2

Central District Incidents

Assault – 4

DWI – 1

Theft – 4

Counterfeit Money – 1

Theft from M/V – 1

Child Neglect -2

Unattended Death – 1

Missing Person - 1

Western District Incidents

Assault – 4

Unattended Death – 1

Fugitive – 2

CDS Violation -1

Theft – 3

Trespassing – 2

Sexual Child Abuse – 1

Found CDS - 1

APD Weekly Traffic Report

July 7 - 13, 2024

Traffic Stops

64 Stops/Contacts

- 34 State Citations

- 57 Warnings

- 5 Safety Eqt. Repair Orders

- 1 DUI

Crashes (Reportable, PI/PD)

4 (2 Property Damage, 2 Personal Injury)

SMART (Speed Monitoring Awareness Radar Trailer)

Location – 300 Block Post Road

Traffic Task Force (Aberdeen on 7/11/2024)

- 132 Traffic Stops
- 51 State Citations
- 157 Warnings
- 12 Safety Eqt. Repair Orders
- 21 Suspended Registrations
- 8 Suspended/Revoked Drivers