



SECTION

PROFILE



NOTES:

1. VERTICAL DROP CONNECTIONS AT MAIN SHALL ONLY BE USED AS PERMITTED BY THE CITY OF ABERDEEN. (PLATE S-20 SHALL BE THE PRIMARY METHOD USED. PLATE S-21A NOT PERMITTED WITHIN CITY OF ABERDEEN.)
2. TRENCH TO BE COMPACTED IN ACCORDANCE WITH STANDARD SPECIFICATIONS.
3. ALL PIPE AND FITTINGS SHALL BE SDR-26 FROM THE WYE ON THE MAIN TO THE CLEAN OUT.
4. CONNECTION TO MAIN MUST BE A WYE CONNECTION ALIGNED WITH DIRECTION OF FLOW. TEE FITTINGS ARE NOT PERMITTED.
5. STANDARD 90° BENDS ARE NOT PERMITTED. TWO 45° BENDS OR A LONG-SWEEP 90° BEND SHALL BE USED INSTEAD.



CITY OF ABERDEEN
DEPARTMENT OF PUBLIC WORKS

Kyle Joste

STANDARD SEWER DETAILS

**PVC DROP HOUSE
SERVICE CONNECTION
AT SEWER MAIN**

CITY OF ABERDEEN
ADDENDUM TO
HARFORD COUNTY
STANDARD DETAILS

PLATE **S-21**